

Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.

62, 23

LIBRARY

17 1923

Seeds



1923 CATALOGUE
GARDEN SEEDS, GARDEN IMPLEMENTS AND
SPRAYING MANUAL ON SPRAYING AND DUSTING
FOR THE GROWER OF FRUITS AND VEGETABLES
BARRETT HARDWARE CO.
113-117 No. Ottawa St. JOLIET, ILL.
Phone 4100 Private Exchange to all Departments

SEEDS--Buy Them at Home

It is not necessary for you to send away for your garden seeds when you can buy choice, Northern grown, bulk garden seeds at home.

We carry a complete line of bulk garden seeds and are in a position to take the best care of your seed wants. Our seeds are all carefully tested, new crop seeds, not the kind put up in fancy packets and sold on commission, which you may have purchased in the past and which may not have given satisfaction.

When you buy from us you see what you are getting, save the trouble of sending away to some mail order house, and you do not have to wait for your seeds to come by parcel-post or express and possibly be delayed or lost. You also save the cost of transportation.

Come in and see how much fresh bulk seed you get for your money.

More seed and better seed for less money.

BUY BULK SEEDS FOR SUCCESS

Cut the Cost of Living with a Vegetable Garden

Q IT IS surprising how small a piece of ground is needed to supply a family of average size with fresh vegetables through the whole season. A piece of ground, say, thirty feet by forty feet, will do it. In these days of high prices there are many sorts of vegetables that it more than pays to grow at home. In comparison with the ridiculously small cost, the return surely does warrant the effort.

Q HOW can it be done? The preparation of the plot is the first consideration. The ground must be well worked up, all sticks, stones and large lumps removed, and in most instances it will be necessary to turn under a goodly amount of stable manure or humus. Commercial fertilizer may also be applied sparingly at time of planting in the rows, or beside the rows of plants later on.

Q PICK a well drained spot in the yard where the sun shines all day long and there are no shade trees, for vegetables as well as flowers need plenty of sunshine plus lots of cultivation and then some more cultivation.

Q NEXT, the seed. Be sure of your seed, as it is most discouraging to find after you have planted and worked all summer that you have nothing worth while to show for your pains.

Q PLANTING Lettuce, Radish, Carrots, Beets, Early Onions and Turnips requires very little room and can be grown between those sorts that require more space. Put Corn and tall kinds where they will not shade in any way the more dwarf kinds.

Q HOW shall I plant or lay out the bed? Why not try it this way: Half a pint of Wax Beans planted, say, in two rows, followed by half a pint of green podded kinds. One row of Early Cabbage (use plants). One or two quarts of Peas—early and late in two rows. One row of Early Beets. Follow Peas and Beets with a planting of Late Cabbage (use plants of your own growing). Half a row of Radish, Early Round. Half a row of Long White or Red. One-half row Lettuce, curled leaf, half row Head Lettuce. One row of Onion Sets. Follow Onion, Radish and Lettuce with Egg Plant, Pepper, Turnip and Rutabaga. One row of Cucumber, Early and Late. One row of Tomato. Four rows of Sweet Corn, early and late, Squash, Pumpkins, etc.

Q MANY other sorts may be added to this list which are well worth the time and effort of producing.

TO OUR FRIENDS AND PATRONS:

Buy your seeds at home!

Last year was our first experience in handling bulk garden seeds. Not being acquainted with the large growers in this section, we took into our confidence some of the large users of garden seeds, and finally decided on the old reliable Leonard line--one of the largest, best and most reliable growers in the business.

Our experience of last year justifies us in saying we have selected a line that is second to none. Many who planted Leonard seeds last year are very enthusiastic over the results they obtained.

We carry a complete line of LEONARD bulk garden seeds, and are in position to take the best care of your seed wants.

It is with pleasure that we present you this new and up-to-date 1923 catalog. We have purposely omitted prices, as prices of seeds will vary even more this year than last. We quote market value upon request, and always give our customers the benefit of the lowest that market conditions will warrant. Special prices on a general list will be given on application.

Come in and see how much bulk seed you get for your money.

More seed and better seed for less money.

You also save the cost of transportation.

Buy bulk seeds for success.

Respectfully,

BARRETT HARDWARE CO.

ACADEMIC RECORDS OF THE

UNIVERSITY OF CALIFORNIA
AT BERKELEY

NAME: [Faint Name]
[Faint Address]
[Faint City, State, Zip]
[Faint Phone Number]

DATE: [Faint Date]
[Faint Text]

[Faint Text]

[Faint Text]

[Faint Text]


[Faint Text]

[Faint Text]

[Faint Text]

[Faint Text]

[Faint Text]



SHOP PRODUCTS

- [Abrasives](#)
- [Adhesives](#)
- [Automotive Products](#)
- [Batteries](#)
- [Contractor Supplies](#)
- [Electrical](#)
- [Fasteners](#)
- [Hardware](#)
- [Hand Tools](#)
- [Hose and Hose Fittings](#)
- [Janitorial Supplies](#)
- [Landscaping Tools](#)
- [Lubricants](#)
- [Material Handling](#)
- [Metal Working](#)
- [Paint and Painting Supplies](#)

[Home >> About Us](#)

ABOUT BARRETT HARDWARE

In 1850, Joliet was a small, but growing Illinois town. Its location on the Des Plaines River/I&M Canal, proximity to Chicago and service by many railroads practically guaranteed that it would rapidly become a major industrial center. A talented young entrepreneur named William F. Barrett opened a small tin shop and hardware store on what was then the busiest intersection in town, Bluff and Jefferson Streets. As the city grew, the business moved four blocks to a building across from the Will County Court House on Jefferson Street. At this time, William's son John joined the business and it was renamed W.F. Barrett and Son. W.F. Barrett died in 1879, after 29 years as the owner. The following year his youngest son Edward joined the business. The firm reorganized as a partnership with Mrs. Barrett, Edward, and John and the name was changed to Barrett and Sons. In 1891 the firm was incorporated as Barrett Hardware Company. The expansion of the city and its environs created a tremendous demand for hard goods which Barrett's continually met. This continued growth necessitated several moves to ever larger quarters, the last in 1937 to the former Bates Manufacturing plant, birthplace of one of the first track-driven farm tractors. It is at this location that Barrett Hardware still operates today.

In the present time, Barrett Hardware and Industrial Supply is owned and operated by Robert Pearson and family. As it always was, Barrett's is dedicated to providing you with the best possible source for your industrial maintenance and contractor supplies. State-of-the-art computer systems and inventory control make ordering from us a breeze and ensure that you'll get what you want, when you want. As we start our venture to the online market world, we will do our very best to accommodate people around the country with products they need.

[Advanced Search](#)

[Search by Part Number or Keyword](#)

[Search](#)

[Sign In](#) | [New Customer? Register Now](#) | [Contact Us](#) | [My Account](#) | [Quick Order Pad](#) | [View Cart](#)

SPIC-My Own A Time

Chapter 1: The Beginning
The first chapter of the book is titled "The Beginning". It describes the author's early life and the events that led to the writing of the book.

The second chapter, "The Middle", describes the author's experiences during the middle years of their life. It covers the challenges and triumphs of this period, as well as the relationships that shaped the author's worldview.

The third chapter, "The End", describes the author's experiences during the final years of their life. It reflects on the lessons learned and the impact of the events that led to the end of the author's journey.

The fourth chapter, "The Future", describes the author's vision for the future. It outlines the author's hopes and dreams for the world and the role they believe they should play in it.

The fifth chapter, "The Conclusion", describes the author's final thoughts and reflections. It summarizes the main themes of the book and offers a final message to the reader.



Advanced Search

Search by Part Number or Keyword


[Sign In](#) | [New Customer? Register Now](#) | [Contact Us](#) | [My Account](#) | [Quick Order Pad](#) | [View Cart](#)
SHOP PRODUCTS

[Abrasives](#)
[Adhesives](#)
[Automotive Products](#)
[Batteries](#)
[Contractors Supplies](#)
[Electrical](#)
[Fasteners](#)
[Hardware](#)
[Hand Tools](#)
[Hose and Hose Fittings](#)
[Janitorial Supplies](#)
[Landscaping Tools](#)
[Lubricants](#)
[Material Handling](#)
[Metal Working](#)
[Paint and Painting Supplies](#)
[Plumbing and Heating](#)
[Power Tools](#)
[Pneumatics](#)
[Precision Machinist Tools](#)
[Safety](#)
[Shop Supplies](#)
[Small Engine Parts](#)

[Home >> About Us](#)**ABOUT BARRETT HARDWARE**

In 1850, Joliet was a small, but growing Illinois town. Its location on the Des Plaines River/I&M Canal, proximity to Chicago and service by many railroads practically guaranteed that it would rapidly become a major industrial center. A talented young entrepreneur named William F. Barrett opened a small tin shop and hardware store on what was then the busiest intersection in town, Bluff and Jefferson Streets. As the city grew, the business moved four blocks to a building across from the Will County Court House on Jefferson Street. At this time, William's son John joined the business and it was renamed W.F. Barrett and Son. W.F. Barrett died in 1879, after 29 years as the owner. The following year his youngest son Edward joined the business. The firm reorganized as a partnership with Mrs. Barrett, Edward, and John and the name was changed to Barrett and Sons. In 1891 the firm was incorporated as Barrett Hardware Company. The expansion of the city and its environs created a tremendous demand for hard goods which Barrett's continually met. This continued growth necessitated several moves to ever larger quarters, the last in 1937 to the former Bates Manufacturing plant, birthplace of one of the first track-driven farm tractors. It is at this location that Barrett Hardware still operates today.

In the present time, Barrett Hardware and Industrial Supply is owned and operated by Robert Pierson and family. As it always was, Barrett's is dedicated to providing you with the best possible source for your industrial maintenance and contractor supplies. State-of-the-art computer systems and inventory control make ordering from us a breeze and ensure that you'll get what you want, when you want. As we start our venture to the online market world, we will do our very best to accommodate people around the country with products they need.



[click to verify](#)
 2015-04-20
 ABOUT SSL CERTIFICATES



[HOME](#) | [ABOUT US](#) | [CONTACT US](#)
[SHOPPING LIST](#) | [MY ACCOUNT](#) | [VIEW CART](#) | [HELP](#)

TERMS OF SALE WE GIVE NO WARRANTY, express or implied, as to the purity, description, quality, productiveness or any other matter of any Seeds, Bulbs, or Plants we send out, and we will not be in any way responsible for the crop.

Prices of Seeds vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market condition will warrant. Special prices on a general list will be given upon application. **LET US HEAR FROM YOU.**

We especially recommend to you the varieties marked with an asterisk (★), as being the best varieties of their respective types. You will be sure to be pleased with these varieties.



LEONARD'S WEBBER WAX BEAN
(See page 2)

BUSH BEANS

Beans are easily frost killed, so plant them at corn planting time on light, dry land. Cold, wet weather will rot the seed in the ground, and fresh manure causes a rank growth of vine with a lack of pods.

If hand cultivated, beans can be drilled in poor soil as close as eighteen inches; but in rich soil with horse cultivation thirty inches is required. Drill six beans to the foot and cover one inch deep; or plant in hills eighteen by twenty-four inches. One quart should plant 250 feet and one bushel plants an acre. Expect a picking after six weeks. Plant every third week for a succession up till August 1st in the latitude of Chicago. Pick beans before the bulge of seed appears, and pick beans clean to continue the plants bearing. Give beans shallow cultivation, and do not till the soil when the plant is in bloom, or the plant in self-defense will drop its bloom. To cultivate when wet is to invite rust.

GREEN POD VARIETIES.

★**Early Red Valentine.** For snaps there is nothing superior to this variety among the dwarf green podded sorts both for the home and market garden and many prefer it to the wax varieties. Vines medium to large, erect, with dark green leaves. Pods medium length, curved, cylindrical, with crease in back, very fleshy, crisp and tender.

★**Black Valentine.** A very hardy and productive green podded sort, with strong, vigorous vines. Pods rather flat, but very handsome, much longer, straighter, less fleshy than the Red Valentine, the plant a little more spreading, and in season a little later.

ARTICHOKE

The Globe Artichoke is cultivated for its flower-heads, which are cooked like asparagus. Plants set in any good soil, with slight coverings in winter, will remain in bearing several years.

Large Green Globe. The standard variety.

ASPARAGUS

Sow one ounce for sixty feet of drill. Sow in March or April, in rows one foot apart. When two years old, transplant into permanent beds, which should be well and deeply manured, and trenched to the depth of two feet. Set the plants (in rows) from three to four feet apart, and two feet in the rows, spreading out the roots and covering from six to eight inches. On the approach of winter cover with manure or compost; fork the beds early in spring, and apply a dressing of salt. Cut for use the second year after planting in permanent bed.

Columbian Mammoth White. A new and entirely distinct variety that produces shoots that are white and remain white as long as fit to use.

Conover's Colossal. The standard variety; of large size, tender, and of excellent quality.

★**Palmetto.** It is of very large size, even and regular in growth and appearance. It is a very early sort, and immensely productive and of the best quality.



McLEAN'S LITTLE GEM PEAS
(See page 17)

BUSH BEANS, Green Pod—Continued

Long Yellow Six Weeks. The vine is large, vigorous, branching and productive, with large leaves. Pods long, straight, thick, flat in shape, green in color, of good quality when young and fair as they near maturity.

Bountiful Beans. This new green podded Bush Bean is a heavy cropper and very early, of fine shape, stringless and good quality.

Extra Early Refugee. Very much earlier than the Old Style Refugee or 1000 to 1. More dwarf and compact in growth.

★Longfellow. This new bean has long green pods, is exceedingly prolific, always solid, a delicious flavor, is tender and remarkably early. It matures its crop very regularly and withstands adverse conditions well. A good bean for market or home use.

★Refugee or 1000 to 1. The vines are large, spreading, exceedingly hardy, with small smooth leaves, very late, and bear long, cylindrical green pods of excellent quality. Highly esteemed for late planting.

★Giant Stringless Green Pod. A very hardy, stocky vine, pods long, round and green in color, of exceptionally fine quality and stringless throughout its entire growth.

★Burpee's Stringless Green Pod. A very desirable green podded snap sort for the home garden and largely grown for the market. The vine is vigorous, spreading and productive. The pods are larger than those of the Red Valentine, but are quite as fleshy, of equally high quality and remain crisp and tender longer.

Tennessee Green Pod. This dwarf snap bean, although new to the Seed Trade, has for several years been grown in the South, and wherever known is freely spoken of in terms of highest praise.

Dwarf Horticultural. Vines very productive, compact, upright, with large leaves. Pods medium length, cylindrical, curved, with splashes of bright red on a yellowish ground.

★Pheasant Eye. A valuable new green podded variety. Vines hardy, sturdy, well leafed. Pods long, meaty, stringless and of excellent quality.

Low's Champion. Large, green, flat, stringless pods.

French Bush Horticultural

Red Kidney

Improved White Kidney

Goddard or Boston Favorite

Navy

Boston Pea Bean

Large White Marrow

DWARF LIMA VARIETIES

As limas require even more heat than other beans, a failure will follow a too early planting. The beans when favorably planted throw out from what we term the bean's eye a stout root; this root in turn lifts the bean above the ground. The bean then opens its halves, or false leaves or cotyledons and the true leaves soon follow. If in planting the bean is thrust into the soil eye down and just below the surface, the bean is in a favorable position to begin its growth. However, the crop can be secured though with a lesser per cent of germination by dropping the bean in any position.

Bush limas are earlier than pole limas and are planted in twenty-four to forty inch drills, three to six inches apart in the row according to varieties. One quart plants one hundred twenty-five to one hundred fifty feet.

Treat pole limas like other pole beans, using one quart to one hundred hills.

★Burpee's. The only bush form of the true, luscious, large lima. It is pronounced by all good judges as unquestionably the real Bush Lima. The bushes grow eighteen to twenty inches high, of stout growth and always erect. It is an immense yielder.

★Henderson's. This is a bush form of the small Sieva pole bean. It is the original bush form of the pole beans. It is the most productive of any, and on the whole is a vegetable of great merit.

Dreer's. The true bush form of the chubby Dreer's or Potato Lima. The pods are heavy and thick. It is quite productive and of excellent quality.

New Wonder. This gives the largest and best returns—a big crop from a small space—and is a decided improvement on the original type of Burpee's Bush Lima. The beans are of flat shape and fully equal in flavor to the famous Dreer's Bush Lima, so well and favorably known.

★Fordhook Bush Lima. Vines strong, erect and true Bush Lima growth. Foliage heavy and very dark green in color. The stalks that produce the

blossoms are thrown out from the lateral and main stalks. The pods resemble Dreer's Bush Lima, but average more than double the size and contain from 3 to 5 beans to the pod.

BUSH BEANS, WAX POD

★Davis White Wax. This bean is adapted alike for the canner, market gardener, shipper or amateur. The dry bean is large, kidney-shaped, and white in color, making it one of the best for cooking in a dry state. Pods are long, meaty, flat in shape, and of a beautiful yellow color and fair quality.

Improved Golden Wax. Rust proof, an improvement on the old style Golden Wax. Pod is semi-round, yellow, of good quality and has no string. Ready for picking 47 days from planting.

Detroit Wax. A distinct variety of recent introduction, which is worthy of a place in every garden. The waxy, yellow pods are produced in great abundance and the quality is extra fine.

Prolific Black Wax. The old standard Black Wax Bush Bean. It is so good that it is worthy of special notice. The pods are round, brittle, of handsome golden yellow color, and of buttery flavor when cooked.

★Pencil Pod Black Wax. Pencil Pod Black Wax grows a taller, stronger and more vigorous bush than the Improved Prolific Black Wax, which is one of its parents. The other parent is the Round Pod Refugee or Thousand to One, and from this latter source the Pencil Pod Black Wax gets much of its vigor, hardness and productiveness, and its long, slender, straight, handsome pod, shaped very much like a pencil.

★Currie's Rust Proof Wax. An excellent Wax Bean in every respect. Rust proof, tender, thick flat pods of very good quality. Very little string in early stages, developing a little when nearing maturity. Fit for table use 47 days after planting.

★Webber Wax. Unquestionably one of the best wax podded beans ever introduced. It is a market gardener's bean, having been originated in one of the best market gardening sections of the West. It produces a deep golden colored pod of good length; shape semi-round, thick meaty, stringless and of exceptional quality. Vines strong, holding the pods well up, with good leaf covering and bearing in profusion.

Michigan White Wax. This splendid variety may be briefly described as a white seeded Golden Wax. It is one of the earliest of the dwarf, snap beans. The vines are very vigorous and unusually productive. The pods are golden yellow, fully as attractive as the well-known Golden Wax and of the same exceptionally fine quality. The seed is white, a most valuable feature heretofore unattained in a bush bean of highest quality.



BLACK VALENTINE

BUSH BEANS, Wax Pod—Continued

★**Round Pod Kidney Wax.** A very handsome midseason variety, especially desirable for snaps for the home garden. The plants are of strong growth, spreading and very productive. The leaves are large, broad and roughened. The pods are long and round, five and one-half to six inches, slightly curved, light yellow, wax-like, stringless and of the very best quality.

★**Hodson Wax.** The creamy-white flat pods are six to seven inches long, by three-eighths of an inch wide. The pods are late in maturing and are unusually free from blight or rust.

★**Wardwell's Kidney Wax.** Hardy and productive, pods long, broad, thick, flat and of a delicate waxy yellow, of excellent quality and with no string in the early growth, ready for table 48 days from planting.

★**Refugee Wax.** A perfect Refugee with Wax pods. Pods long, round and of a golden yellow color. One of the earliest, quality excellent, and is fit for picking 57 days from planting. A very fine canning bean.

★**Sure Crop Wax.** A vigorous growing, very productive variety, similar in general appearance of plant and seed to Currie's Rust Proof Wax; the pods, however, are more fleshy, of decidedly better quality and are stringless at practically all stages of growth. Pods about six inches long, nearly round, attractive in color and remain a long time in condition for snaps. A decided improvement over Currie's Wax.

PLANT MORE BEANS.—Beans are very reasonable in price this year, particularly the green pod and wax varieties, as crops have been good, and as the green Beans have been bringing a good price in the market along with all other sorts of produce, more Beans should be planted for both garden and market purposes.

Now that the seed can be bought cheap and with the green Beans in such good demand, everyone should put out an increased acreage of Beans and help reduce the high cost of living.

POLE BEANS

The pole bean climbs, sometimes needing a little training over any support given to it, be that support the growing cornstalk, rough stakes from the wood lot, bamboo or painted stakes, chicken wire or a convenient fence, supported wires or strings, or some porch or trellis. A good practice is to set firmly in the ground, every three or four feet each way, poles that are, when set, about six feet. Some time after bunch beans are planted, six or eight beans are planted on inch deep near the base of each stake and later thinned to three or four plants to the pole. One-half bushel of pole beans generously plants an acre, and one pint plants one hundred hills.

The pole bean bears over a longer period than the bunch bean and is generally considered of superior quality, but it requires more labor, longer time to mature, and is more sensitive to adverse climatic and soil conditions. Note that this vine turns only one way around its support.

When too old for use as a green snap bean, use any bean shelled, or still later, when it is hard and dry, it remains equally serviceable.

★**White Creaseback.** An extremely early Pole Bean. Vine small to medium and wonderfully productive. Bearing pods in clusters of from four to twelve, and medium in length. An excellent shipper.

Red Speckled Cut Short (or Corn Hill). This is the best sort to plant in hills of corn. A great cropper.

★**Kentucky Wonder.** Vines vigorous, climbing well, and very productive, bearing its pods in large clusters; blossoms white; pods green, very long, often reaching nine to ten inches. Nearly round when young and very crisp, although as they reach maturity they become irregular and spongy. Dry Beans long, oval, dun-colored.

Kentucky Wonder White Seeded or Burger's Stringless. A very early, white seeded variety. Pods six to seven inches long, round, slender and straight; very tender, fleshy and stringless; of high quality; color dark green.

Lazy Wife. One of the most productive and easily gathered of the Pole Beans, hence its very discourteous name. A most excellent bean for the home garden.

★**London Horticultural, or Speckled Cranberry.** Vines moderately vigorous, bearing short, broad, pale green pods, becoming streaked with bright red as they near maturity. Beans large, oval and splashed with red. Used either green or in the dry state.

Early Golden Cluster Wax. One of the very finest polebeans. Very early, being only a week later than Golden Wax.

Kentucky Wonder Wax. One of the earliest of the pole wax sorts. Pods eight to nine inches long, thick, decidedly creasebacked, very fleshy, brittle but stringy, attractive and fair quality; color light yellow.

Dreer's Improved or Challenger Lima. This is a bean of rather peculiar shape, being thick and plump, rather than flat and oval.

★**Large White Lima.** The large Lima is a general favorite wherever it can be cultivated on account of its excellent flavor and productivity.

★**King of the Garden Lima.** The old standard market and family sort. The vine begins to produce pods at the foot of the pole, and the bearing season continues until frost. Pods large, and well filled with beans of mammoth size.

★**Small White Lima, Carolina or Sieva.** Vines vigorous with many short branches, so that they are sometimes grown without poles; very early and productive, bearing short pods, which are thin and curved.

Scarlet Runner. Height, ten feet, with dazzling scarlet flowers from July to October; both ornamental and useful. It is used either as a string or shelled bean.

Dutch Case Knife. Vines moderately vigorous, climbing well and excellent for a corn hill bean; leaves large, crumpled, and pods very long, flat, green in color, becoming creamy white later. Beans broad kidney shaped, flat, and white in color.

TABLE BEETS

As soon as the soil can be worked in spring, sow beet seed in twelve to eighteen inch drills for hand hoeing or eighteen to thirty inch drills for horse cultivation, dropping twelve seed to the foot. Cover the beet seed, which is really a beet fruit containing one or more seeds, one-half inch deep. Later thin the beets to stand five to the foot. Planted April 1st, the early varieties should be marketable June 1st, or the crop may be advanced several weeks by starting under glass and transplanting to the open, first giving the beet tops a severe pruning. Use one ounce of seed to one hundred feet of row, and five or six pounds to the acre. Beets sown in early July should be ready to store in pits or in sand in the cellar when freezing weather begins.

★**Early Egyptian.** The well-known early variety. Color, extra dark; shape, flat; quality, excellent.
★**Early Eclipse.** A very early maturing beet, especially desirable for the home garden. Top of medium size. Root nearly globular, with a small tap root and small collar. Flesh bright red, zoned with white; very sweet, crisp and tender, especially when young.

★**Crosby's Egyptian Beet.** The name of this variety is misleading, as it resembles the Egyptian only in its extreme earliness. They are also more spherical than the Extra Early Egyptian and, we think, of better quality. One of the best for early planting out of doors.

★**New Model.** Extremely early, of perfect globe form and finest quality. The foliage is very small. The beets are always smooth and of the deepest blood-red color, while they quickly attain a good size.

★**Crimson Globe.** This is one of the finest beets yet introduced. Roots are not large, but very handsome. Round, and a clean, smooth surface. Leaves very small, with slender stems.

★**Edmand's Early Blood Turnip.** The best sort for general crop. In quality one of the finest, exceedingly dark, shape globular, having only one tap root. Very popular with market men.

★**Dewing's Early Blood Turnip.** A good variety for main crop. Keeps well. Like Edmand's but lighter color.


★**Detroit Dark Red Turnip.** Quality good; sweet and tender; color deep red; roots are turnip shaped, with small tap roots.

★**Improved Blood Turnip.** An improved variety of Early Blood turnip of deep, blood-red color; fine form and flavor. An excellent market sort.

★**Long Smooth Blood.** The standard long, late sort. Very dark, blood-red flesh, quality fine.

★**Half Long Blood.** One of the best for winter use. The roots are only half as long as the Long Blood, but weigh as much on account of their thickness. They are always smooth and handsome, and their rich, dark red flesh is very sweet, crisp and tender, never becoming woody, even in the exposed portions.

★**Swiss Chard, or Silver.** This robust growing variety is often referred to as the Spinach Beet and is grown for its leaf, not for its root. The thick rib may be stripped from the leaf and used as in Asparagus while the rest of the leaf is served as "greens."



CROSBY'S EGYPTIAN

MANGEL WURZELS

Mangel Wurzel, called also stock beet, or cow beet, is a very large beet growing mostly above the ground and all stock eats it greedily. Plow the soil for it deeply, and in May or June plant six Mangel seed to the foot in two to three foot rows, later thinning to a ten inch stand. One ounce sows generously one hundred feet of row, and an acre requires five to six pounds. When a light frost has occurred, lift the roots, store in pits or cellars, and the mangels are soon ready for feeding.

★**Improved Mammoth Long Red.** A large, long variety grown for stock feeding. It stands up well above the surface; color, light red, flesh white and rose colored.

★**Norbiton Giant Long Red.** Very large, excellent variety for feeding stock.

★**Golden Tankard.** Shape cylindrical, color deep rich yellow, flesh yellow circled with white. Unequaled for feeding stock.

★**Yellow Globe.** Globular shaped roots. More productive than Long Red in shallow soil. Very nutritious and a good keeper.

★**Orange Globe.** We think this one of the best varieties of mangel wurzel.


SUGAR BEETS

The Sugar Beet, grown for the manufacture of sugar, and frequently used for stock feeding, is a yellowish white beet, smaller than the mangel, but containing a much greater per cent of sugar. In growing, the sugar beet is treated like the mangel, except that only six or eight inches of space is given each beet in the row.

★**Vilmorin's Improved Sugar.** In general, the most desirable beet for the factory is the one containing the largest percentage of sugar. In this variety we have one of the richest beets in cultivation.

★**Klein Wanzleben.** A little larger than Vilmorin's Improved, yielding from twelve to eighteen tons per acre, and containing about the same amount of sugar. It grows below the surface, and the green leaves are rather large and spreading, with wavy edges.

★**Giant Half-Sugar.** This unites the large size of the mangel with the greater feeding value of the sugar beet. The roots average ten to twelve inches, and the outline is that of a broad, thick wedge. The upper portion is of a soft bright pink, shading lighter toward the bottom, where the lower portion for about one-third the length is white.



GOLDEN
TANKARD MANGEL

CABBAGE

Cabbage grows successfully on a wide variety of soils, and experience points to liming, deep plowing and heavy manuring as successful practices.

Cabbage plants when properly hardened by gradually being brought to a low temperature and the quantity of water in them diminished, will stand any frost and some considerable freezing. Yes, a cabbage plant raised at a high temperature and full of water will be killed by even a light frost. Cabbage can be grown by planting the seed heavily where the crop is to grow and thinning the plants, but a better practice is to raise the plants without crowding in a seed bed which is not richer than the field to which the plants go, and transplant, if possible, on a cloudy day, watering the plants if the soil is dry. South of the Ohio seed is frequently planted out of doors in September and wintered in coldframes, or in very southern localities the plant is fall-set on a shady side of the furrow, to avoid as much as possible the deadly freeze and thaw. For early cabbage north of the Ohio, sow seed in hotbeds in February, transplant to coldframes in March, and set outside in April, or sow seed out of doors as soon as the soil can be worked in Spring, covering the seed one-third inch deep. All vegetable plants are best when grown without check, so let as much soil adhere to the roots of the plant in transplanting as will hold, and set up to the first leaf. At this time the plant should have four to five pairs of leaves and be four to six inches high.

Set small varieties to be worked by hand as close as eighteen inches each way, while large late varieties, horse cultivated, need thirty or more inches each way. A convenient setting for Wakefield Cabbage is eighteen inches apart in thirty-inch rows. Seven out of eight heads can be counted upon to mature, and if yourself or the market is cabbage hungry, cut when the hearts are solid. Germination occurs in four to ten days, and cutting of well-grown early cabbage begins frequently in sixty days from transplanting. One ounce of seed will readily give three thousand plants and one-fourth pound is sufficient for an acre.

For home use, plant for a succession and study the market's demands; don't grow big sauerkraut factory heads if your market asks for small cabbage for home use.


Late varieties are frequently ill-timed in planting. Nitrate of Soda will hurry the crop if too late, and if heads are so early as to begin bursting, push the head to one side far enough to tear off the roots on one side.

When club root appears, lime the soil heavily, and do not plant brassica—that is, cabbage, turnips, cauliflower and kindred crops—upon this sick soil for two or three years.

Fight cabbage worms with Paris Green, Hellebore, or other good stomach poison.

For cabbage maggots, pour kerosene emulsion about the roots, or cut tarred paper in three-inch squares, split the square to the center, and place this collar on the ground about the plant when the plant is set.

For plant lice or aphids, use tobacco tea or kerosene emulsion, and remember, these poisons kill by contact and do not do their work long after spraying, like a stomach poison.



EARLY JERSEY WAKEFIELD

★**Early Jersey Wakefield Cabbage.** The most popular of the pointed head varieties. Is exceedingly early, a good cropper, heads of good size, solid and uniform.

Large or Charleston Wakefield. This is a selection from the best early Jersey Wakefield which will average about 50 per cent larger.

★**Early Spring Cabbage.** The earliest flat head, nearly as early as Jersey Wakefield. Yields more than the early pointed heads. Solid, uniform and finely grained heads.

★**Henderson's Early Summer.** A standard summer variety. Heads large and solid.

★**All Head Early.** One of the finest early flat-head cabbages.

★**Faultless Cabbage.** The favorite second early cabbage. The product of this seed outsells any other second early cabbage. It can be marketed in the early summer, during midsummer, in the fall and early winter, making it the best all-purpose variety.

All Seasons. A fine variety for any season; a good shape and size.

Henderson's Succession. A good summer cabbage; also makes a good cabbage to succeed itself.

Early Dwarf Flat Dutch. An early cabbage of good size. Heads are flat and very solid.

Early Winningstadt. An early pointed head variety of excellent quality, not as early as the Wakefield, but larger.

★**Glory of Enkhuizen.** This is an excellent midsummer variety. It comes in about a week earlier than All Seasons, makes a nice large head, has few outer leaves, and can be planted close. Our tests show it to be worthy of a place among the new varieties of merit, and we can recommend it as a good addition to the list.

★**Copenhagen Market.** A new early variety, popular with market gardeners. It is one of the finest early round-headed cabbages in cultivation. It is desirable on account of the remarkable characteristic of maturing the heads all at the same time, enabling the grower to gather his crop with less expense and permitting the cleaning of the land at the first cutting.

Stein's Early Flat Dutch. An early and excellent type of Early Flat Dutch, with a medium stem; heads round, flat and solid.

Early Drumhead. This popular variety follows the Faultless in heading and is one of the most valuable varieties grown.

Fottler's Early Brunswick. An early fall variety, well known and popular.

Louisville Drumhead. This fine cabbage is very popular with the kraut makers. It is a medium late variety.

The kitchen gardener or critical market man who wants a quick and even maturing cabbage that resembles Danish Ball Head will find Glory or Enkhuizen and Copenhagen Market unquestionably the best.

CABBAGE—Continued

Buy Cabbage Seed carefully. Select the best variety for the purpose wanted and know that you have the best seed to be obtained.

★Premium Flat Dutch. This variety of late cabbage is a standard in all sections for winter use. It makes a large solid head, which keeps long without bursting, and is adapted to a more varied climate than probably any other variety we grow.

Sure Head. A fine variety for main crop. A good shipper and sure header.

Large Late Drumhead. A late variety of large size.

★Improved American Savoy. Closely approaching the cauliflower in delicacy and delicious flavor. The best of all the Savoys for general market or home use. It has a short stump, grows to a large size, is compact and solid, and is a sure header.

Wisconsin No. 8. A "yellow" resistant strain of cabbage. The disease resistant properties of this variety apply only to that known as the "yellows" and no claim is made that it is less susceptible to other forms of disease such as Black Rot, Black Leg or Club Root, than other sorts. Although showing considerable variation in type, the plants resemble Hollander, but are larger and more leafy and spreading. The heads are round or somewhat flattened. For localities where cabbage plants are affected by the "yellows" we earnestly recommend a planting of this new strain.

Red Drumhead. The standard pickling variety. A good keeper.

★Mammoth Rock Red. The largest heading of any red sort. Heads are hard, of deep red color, quality excellent.


Chinese Cabbage or Pe Tsai; sometimes called Celery Cabbage; resembles Cos Lettuce as much as cabbage, though with a decided cabbage flavor.

Danish Ballhead Cabbage. For a winter cabbage for early spring sales some gardeners consider this variety excellent. It has been selected and perfected for more than fifty years by the Danish gardeners, who prize it so highly that they grow it almost exclusively for winter cabbage, and annually export large quantities of it. It is a hard heading, and long keeping cabbage. Heads round as a ball, solid, fine grained, has few outer leaves, tender, crisp and of unexcelled flavor.

★Holland. The favorite winter cabbage with market gardeners. It is as hard as a rock, and a small head will weigh as much as a large head of any other variety. The leaves lap over and make a head in which there is no waste.




COPENHAGEN MARKET
(See description on page 5)



HOLLAND WINTER CABBAGE

CARROTS

The carrot, whether used raw, fried, boiled, or stewed; used alone or combined with other vegetables or meat, is not surpassed in nutritious healthfulness by any other vegetable catalogued. Plant carrots, in the latitude of Chicago, from the time the soil can be worked in Spring till July 1, in one to two foot rows for hand cultivation, or in thirty inch rows where a horsedrawn tool is used. Use one ounce of seed to one hundred feet of row, three or four pounds to the acre, covering one-half inch deep, and later thin to a four inch stand. To cultivate the rows at an early date, sow radish seed, which germinate quickly, with carrot seed, which germinate slowly. Do not overlook the value of this crop as a stock food.



DANVERS CARROT

Early Short Horn. A fine early variety, good for home use. Eastern market gardeners use this sort for bunching.

★**Chantenay.** Tops medium size; necks small; roots tapering slightly, but uniformly stump rooted and smooth; color, deep orange red; flesh very crisp and tender. Although this is a medium early sort it furnishes roots of usable size as early as any, is a heavy cropper, and is undoubtedly one of the best for both the market and private garden, while its great productiveness makes it very desirable as a field sort.

Guerande, or Ox Heart. Tops small for the size of the roots, which are comparatively short, but often reach a diameter of 7 inches, terminating abruptly in a small tap root. Flesh, bright orange, fine grained and sweet. This is a desirable variety for soil so hard and stiff that longer growing sorts would not thrive in it. When young, excellent for table use, and when mature equally good for stock.

★**Danvers.** Grown largely on account of its great productiveness and adaptability to all classes of soil. Tops medium sized, coarsely divided. The smooth and handsome roots are deep orange, of medium length, tapering uniformly to a blunt point; flesh sweet, crisp, tender, and of a deep orange color. This is a popular field variety, and although the roots are shorter, they produce as large a bulk as the longer field sorts and are more easily harvested.

★**St. Valery.** A good late variety. Grows long, shape uniform, tapering from a wide shoulder to a point.

★**Improved Long Orange.** The most popular of the older sorts for farm use on mellow soil. An improvement obtained by years of careful selections of the best formed and deepest colored roots of the old Long Orange. Roots comparatively shorter than the Long Orange, and smoother, but so uniform and true that the bulk of crop will be greater.

Large Orange Belgian. Quite similar to White Belgian, except in color. Roots 20 inches long, broad and pointed; light orange below the surface, green above.

★**Large White Belgian.** Grows one-third out of the ground. Root pure white, green above ground, with small top. Flesh rather coarse. The roots on light, rich ground, grow to a large size and are extensively grown for stock feeding.

CAULIFLOWER

Cauliflower, while it resembles cabbage and requires very much the same treatment as outlined under and for cabbage, is not so hardy as cabbage, needs more water, needs more cultivation and requires generally treatment superior to cabbage. Cauliflower cannot be expected to mature satisfactorily in hot, dry weather, and as it requires one hundred ten to one hundred fifty days for different varieties to mature, its planting should be correctly timed. Start cauliflower under glass or where cabbage plants can be wintered, winter cauliflower. One ounce gives two thousand five hundred plants, and one-fourth to one-half pound of seed plants an acre. When the head or heart of cauliflower, as you may think or feel of it, called the "curd," appears, tie the outer leaves over the head or pin these leaves with wooden pins or beef skewers, so the leaves will shade and blanch the curd, and then cut the curd before it starts to branch. Remember that all the enemies of cabbage emphatically attack cauliflower and are to be combated in a like manner.

★**Early Snowball.** The leading cauliflower in all sections, and unquestionably the purest strain of cauliflower seed to be had. Heads uniform, of desirable market size and of snowy whiteness. After seven years' competitive tests it is pronounced by expert cauliflower growers to be the best for both early and late planting.

Danish Dry Weather. We take pleasure in introducing this cauliflower to our customers. It is from one of the best growers in Denmark and we recommend it highly to market gardeners for trial. It is claimed to be a splendid strain for a dry season and equally good in all weathers.

Autumn Giant. A late sort of fairly good quality. Will do well under favorable conditions.

CARDOON

Smooth Solid Cardoon. Grown for the mid ribs of the leaves which are blanched and used in the same manner as celery. The main root is also used and when cooked in a proper way, is excellent. Thorough blanching is necessary in order to bring out the delicacy of flavor possessed by the Cardoon.

CHERVIL

A hardy annual, worthy of more general use for flavoring and garnishing. Sow in early spring in rich, well prepared soil, and when plants are well established transplant to about one foot apart.

Curled. Greatly superior to the old, plain variety, being earlier, more handsome, and having fully as fine perfume and flavor.

CHICORY

Witloof or French Endive. The principal merit of this variety consists in the width of its leaves and the large size of their ribs. When blanching, it forms the vegetable which the Belgians call Witloof. When properly grown and blanched it resembles a head of Cos Lettuce.

Large-rooted, or Coffee. Our stock is the Improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind. The dried and prepared roots are used quite extensively as a substitute or adulterant for coffee.



WITLOOF
CHICORY

CELERY

Press celery seed into the ground; do not try to cover it; and when seed is kept wet and not above 60° F., germination occurs in ten to twenty days. Celery needs four to five months from seed to use, so very early celery should be started in hotbeds after January, and when two inches high transplanted or thinned to a space of two inches. Later trim the tops to produce stocky plants, and when five inches high set where plants are to mature, first trimming off one-third of the roots and leaves. Celery seed may be planted out of doors north of the Ohio in April and treated as outlined above. Given sufficient water celery can be grown on any good garden soil, and one ounce of seed gives above 6,000 plants.

When almost grown, celery must be blanched; that is, the light is excluded from the edible stock by the use of boards, earth, paper or other covering. If boards are used, rows can be set as close as thirty inches; if earth blanched, forty-eight inches or more is better. Set the plants six inches apart in the row and press the soil firmly about the roots. Again, celery is set in solid beds eight inches each way, and the shade of the crowded bed does the blanching. With a few stalks in a garden, a tile set over the plant or wrapping of paper answers the purpose. If earth is used

in blanching it should be drawn about the plant to one-third its height and repeated twice a few days apart till leaves only are exposed. Do not cultivate hill or disturb celery when damp, or rust may occur. In this hilling with earth called handling place a peg at end of row with string to it and pass string about each plant so as to prevent earth from falling into the heart during the work. To store, celery should be only partly blanched.

When freezing begins, lift plant with some soil and store in a cave, coldframe or cellar, temperature close to freezing point preferred. Use slats to keep celery in long six-inch wide spaces, for if too deeply packed it may heat and spoil. If plants wilt, water the roots, not the stalks.

Celery matures best in cool, moist weather, so the grower farther south may delay this planting calendar to fit his own market and convenience.

★**Golden Self-Blanching.** The best self-blanching sort. It acquires a handsome golden color without having to be hilled up, which makes it a valuable market sort.

★**Henderson's Easy Blanching.** Excels in the qualities that give Self-Blanching Celeries their value. It bleaches earlier and quicker than any of this class; it is the longest keeping variety grown (if put away green), excelling in this respect every other sort.

★**White Plume.** A good self-blanching sort, good for fall use, but does not keep well.

★**Boston Market.** For many years one of the most popular sorts in the markets of Boston.

★**Giant Pascal.** This is the best keeper of all of the late sorts; very solid and crisp. This variety is unsurpassed for market garden.

★**Giant Golden Heart.** This variety attains a large size, but still remains crisp and tender. It is a fine keeper and is the favorite on the Chicago market.

★**Perfection Heartwell.** A finely flavored, good keeping sort, hardy and solid.

★**Kalamazoo.** This is the variety used by the celebrated celery growers of Kalamazoo, Mich., and is of great merit.

★**Soup or Cutting Celery.** This variety is adapted to sowing thick in rows and cutting when three or four inches high, to use for soup flavoring.



GOLDEN SELF-BLANCHING

GERMAN CELERY OR CELERIAC

Large Smooth Prague. Has a large smooth root, and is the finest of all celeriac.

CRESS

True Water Cress can be easily grown by sowing the seed broadcast on garden soil and keeping the soil very wet till the plants are big enough to transplant to shallow indentations about five inches deep here and there along the sides of a clean flowing stream. There it will continue to spread by the lengthening of its roots, also by reseeding, and requires no further care. The crop can be grown to maturity in wet garden soil, or the seed can be sown directly to the mud along the stream, but with lesser measures of success. April or September is a good time to plant these minute seeds, and this aquatic prefers to stand with its roots and most of its stems submerged. Cutting can begin in about sixty days, and a little later frequent cutting, using a sharp knife, will stimulate plant growth.

Curled or Pepper Grass, a pungent, quick-growing plant that poorly parodies the water cress flavor, can be grown in any garden soil as soon as the ground can be worked. Plant one-half inch deep in one foot rows, thinning the plants to four inches.



TRUE WATER CRESS

COLLARDS

Georgia, Southern or Creole. A variety of cabbage known in different sections as "Cole," "Colewort," or simply "greens." It is extensively used in the south, where it continues in luxuriant growth all winter.

SWEET CORN

Plant corn every two weeks for a continuous supply, and north of the Ohio from late April to late July. Plant corn in three or four foot drills, dropping a grain every eight to sixteen inches, or plant in hills three or four feet each way, giving six grains to the hill and later thinning to three stalks. Corn should be planted about one inch deep, planted deeper in sand than in heavy clay; planted deeper later in the year when the soil is warm; dwarf varieties closer together than the larger ones; and a given quantity of seed of a small grained variety plants a larger area than does a like quantity of the large grained. One quart generally plants two hundred fifty hills, and one peck is necessary to the acre. Sixty-five days is a short time to maturity. Plow deeply for corn, cultivate shallow, and pick corn before it is too old. If the goodness of new corn tempts a too early planting, do not blame the resulting failure on your seedsman.

★**Golden Bantam Sweet Corn.** A very early sweet corn with golden yellow grain, very tender and of excellent quality. The ears are six to seven inches long and of the medium size found most suitable for the table. The flavor is exceptionally rich and delicious. Our stock has been very carefully selected. Height about four feet.

Early Cory Red Cob. This variety is the favorite for first early, and no other variety has proven earlier.

White Cob Cory. This is an improvement over the Early Cory, as the cob is white, which gives it a finer appearance. It is as early as the Early Cory and of excellent quality.

Mammoth White Cory. The ears are twelve rowed, white cobbled, and covered with very large white grains of good quality.

Premo Sweet Corn. A "sixty-day" sweet corn, and is thus described by the originators: "It not only combines all the merits of the leading early varieties, but it is also really superior to them all in size, quality and yield. Premo can be planted fully as early as the Adams for the young plants withstand slight frosts."

Howling Mob. One of the finest second early, large eared sorts; very productive, white and of excellent quality. Ears 7 to 9 inches long, 12 to 14 rows.

Extra Early Adams. This is an extra early field variety, but is much used as an early market variety, being sweet and juicy.

★**Early Minnesota.** One of the standard early sorts. Ready for market two weeks later than Cory or Chicago Market.

Crosby's Early. An early corn of large size and choice quality. It has long been a standard variety.

Kendall's Early Giant. A valuable early sweet corn.

Potter's Excelsior or Squantum. Fine, large ears and deep grain; one of the sweetest varieties.

★**Country Gentleman.** We have a stock of this excellent sweet corn that is exceptionally good. There is no sweet corn that compares with the Country Gentleman for sweetness. It is the variety par excellence where quality is desired. Market gardeners who make a specialty of growing for hotels and high-class restaurant trade use this as a main crop variety in preference to any other. For home use it will be found superior and it is very productive. The fact that it is a favorite variety with canners proves its merit.

Old Colony. This variety is two weeks earlier than the Evergreen and almost as large.


Early Evergreen. The ears of this new corn grow eight inches long, are mostly 14 to 18 rows.

★**Stowell's Evergreen.** This standard main crop variety excels all other late sorts in sweetness and productiveness. It is more popular than any other for canning, for marketing and for the home garden. Great care has to be exercised in the selection of stock to grow seed from, as this variety has a tendency to deterioration and a shorter grain, which makes it less sugary and desirable.

Mammoth Sugar. A large late variety having ears of mammoth size, 14 to 20 rows.

Black Mexican. This corn, when in condition for the table, cooks remarkably white; but the ripe grain is black or bluish-black.

★**Leonard's Narrow Grain Evergreen.** This new type of sweet corn is a stock worked up by S. F. Leonard after several years of experimenting. In it we feel that we have something vastly superior to the old wide grain Evergreen. The ear is as large as the Stowell's Evergreen and averages more rows to the ear. The cob is small in comparison to the size of the ear, and the kernels are very long, narrow and remarkably free from starch. The rows are uniformly straight and the ear holds its evenness from butt to tip more uniformly than any other type of Evergreen.



GOLDEN BANTAM



CORN SALAD

CORN SALAD

Feticus, or Lamb's Lettuce. This small salad is used during the winter and spring months as a substitute for lettuce, and is also cooked and used like spinach. In warm weather the plants will mature in four to six weeks. Sow the seed in shallow drills about one foot apart. If the soil is dry it should be firmly pressed over the seed in order to secure prompt germination. On the approach of severe cold weather, cover with straw or coarse litter. Like most salad plants, greatly improved if sown on very rich soil; indeed, the ground can scarcely be made too rich for them.

CUCUMBER

Not before corn planting time plant cucumbers out of doors in drills or hills one-half inch deep. The crop may be advanced two weeks by starting in the hot bed or greenhouse on inverted four-inch sods covered with leaf mold. The plant will appear in four to eleven days and in three weeks from seeding, when the plant has two to four leaves it is ready to transplant outside.

Mark the field up and down hill, then furrow across its face in a four-foot check and at each intersection drop manure or fertilizer, or better, both. Throw earth to this intersection to form an elongated hill four inches high. Plant the seed like a short drill not haphazard; then later two strokes of the hoe cleans this short drill.

Be generous. Use a dozen seed to a hill, and after the striped beetle has his toll, thin to three plants to a hill. To check the beetle, use on foliage, but not too heavily, road dust, ashes, air slaked lime, bone flour, tobacco dust, or arsenate of lead; pull earth about the stem or cover the hill with netting.

Cultivate as long as possible. Cut the cucumbers. Do not pull or bruise them and to keep the plants bearing, cucumbers must not be permitted to ripen.

Early Cluster. Vines vigorous, producing the bulk of the crop near the root and in clusters. Fruit short, uniformly thick end, dark green, but paler at blossom end. A very productive sort.

Green Prolific or Boston Pickling. A favorite with pickle growers and commercial gardeners, and good for table use. Quite productive. Fruit small, uniform in size.

Early Frame or Short Green. An excellent sort both for table use and for pickling. Fruit straight, handsome, smaller at each end, bright green; flesh tender and crisp, and makes fine pickles.

★**Chicago or Westerfield Pickling.** A variety esteemed above all others by Chicago market gardeners and extensively grown for the large pickling establishments in this vicinity. Fruit medium length, pointed at each end, with large and prominent spines. Color a deep green. It combines all the good qualities of an early cucumber.

★**Improved Long Green.** Not so abundant a bearer as the preceding sorts, though recommended to all who put up their own pickles. Fruit long and slim, not surpassed in quality by any variety.

★**Early Improved White Spine.** One of the best sorts for table use. Vines are vigorous, fruiting early and abundantly; fruit uniformly straight and handsome, dark green, with a few white spines; flesh tender and of excellent flavor.


Evergreen White Spine. Is the most profitable cucumber for the market gardener. Best for the greenhouse, hot bed or for outdoor culture.

★**Davis Perfect.** In color, a dark, glossy green; shape, slim and symmetrical, with an average length of ten to twelve inches. They hold their color until nearly ripe, when they turn white.

Klondyke. A medium early, very good strain of white spine; fruits attractive, full, uniform, rather thick, short and blocky, tapering abruptly at both ends; color very dark green which it holds well.

Early Fortune. The finest market cucumber of the White Spine type. The fruits measure nine inches long and are slightly tapering. The thick flesh is pure white, firm, and unusually crisp, with very few seeds. The fruits are of a rich, dark green color which does not fade when shipped to distant markets.

Lemon. This little cucumber is not half appreciated for the home garden. It has a most delicate flavor, and never gets bitter or unfit for the most demanding taste. The vines are prolific—the fruit is small and always in good condition.



IMPROVED WHITE SPINE

DANDELION

Cultivated or French Common. This is considered the best by many and is not at all the same as our wild dandelion, being greatly improved by careful selection.

Improved Thick Leaved. One of the earliest and best greens cultivated.

EGG PLANT

Treat the egg plant like a tender tomato that required even a longer period to nature. After cabbage plants are out of the hotbed or greenhouse, which is April north of the Ohio, sow egg plant, keeping even the night temperature above seventy degrees. One ounce of seed gives two thousand plants, and one pound plants an acre. Transplant later to pots or to a three or four inch stand, and when corn is shoe high, put egg plant outside on rich, well drained land. Set the plants two feet apart in four feet rows, shading or watering the plants if it's sunny or dry. Use any good stomach poison for the potato bug when he attacks the egg plant.

★**Improved New York Purple Spineless.** Very large and smooth, fine dark color. Ours is the spineless plant, most preferred by our market gardeners, both east and west.

Black Pekin. A fine variety, bearing large, round, deep purple fruits, fine grained, and of superior quality.

Early Long Purple. Early, hardy and productive; excellent for the table.



EGG PLANT

ENDIVE

Endive, or winter lettuce, used as a salad, as greens or garnishing, is usually planted one-fourth inch deep in a seed bed in midsummer, and when convenient after a month transplanted to stand one foot apart in eighteen-inch rows. When almost grown and about two weeks before ready for use, it is blanched by tying the leaves together with soft cord, or the blanching is by turning a flower pot or tile over each plant, or by blanching with earth, like celery. The blanching removes the green plant's acrid taste. The plant may be, but seldom is, used as an early spring crop. Three to five pounds of seed plants an acre.

★**Green Curled.** Beautifully curled, tender and crisp.

Moss Curled. More finely curled, and a heavier and more dense plant than Green Curled.

White Curled. Very tender when cut young; blanches readily.

★**Broad-Leaved Batavian.** (Escarrole.) This variety is chiefly used in soups and stews; requires to be tied up in blanching.

AROMATIC, MEDICINAL AND POT HERBS

Most of the varieties thrive best on rich, sandy soil, which should be carefully prepared and well cultivated, as the young plants are for the most part delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed; or they may be planted as a second crop, the seeds sown in beds in April, and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

Anise	Horehound	Dill	Saffron
Caraway	Sweet Marjoram	Sage—Broad Leaf	Savory, Summer
Coriander			Thyme


KALE OR BORECOLE

In Virginia, kale planted in late August has some of its plants thinned out and sent to market within sixty days and the cutting then continues until the field is clean in April. Further north, kale is treated like the cabbage; that is, planted early in spring in hotbeds or out of doors, and it is used in the fall when light frosts have improved it. Kale is sown in two or three foot drills and thinned to six to twenty-four inches, according to varieties. One ounce sows generously one hundred yards and four pounds plants an acre.

★**Dwarf Curled Scotch.** Leaves bright green, curled, very tender and fine flavored; an excellent sort for private gardens.

Siberian Kale, or Winter Sprouts. This is also called German Greens and is sometimes sold for Dwarf Green Curled Kale, but it is not as curly as the Dwarf Curled Kale and is different from it in color. The leaves are smooth in the center, having a fringed edge. Color has a bluish tint, not the deep green of the Dwarf Curled Kale.

Dwarf Green Moss Curled. Leaves yellowish green, very compact and beautifully curled; sow in September for winter and early spring use.



DWARF CURLED SCOTCH KALE

HORSE RADISH

Horse radish produces no seed, but is grown from pieces of the roots.

KOHL-RABI

This relative of the cabbage, that looks like a turnip that grew above the ground, can be treated very much as either cabbage or turnips. One ounce sows one hundred yards and four pounds plants an acre. Sow in eighteen to twenty-four inch rows, thin to four inches apart and use for the table when small. Like the turnip, we cannot expect good kohlrabi in the summer heat, but a planting made about August 1st north of the Ohio will give a crop for winter storage. Do not overlook the value of this plant as a stock food.

Early White Vienna. The finest for market. Flesh white and tender.

Early Purple Vienna. Bluish purple; similar to above, except in color.

LEEK


This mild member of the onion family is used in soups and salads. Sow one ounce to one hundred feet of row or four or five pounds to the acre, one-half inch deep, as early as the soil can be worked in the spring. Thin the plants to a stand of four to six inches in the twelve to eighteen inch rows. It is advisable to throw earth to the plant to blanch it, very much as celery is blanched.

★**Large American Flag.** Large, hardy and of excellent quality.

Monstrous Carentan. The favorite market variety, large, thick stem, of mild flavor and attractive appearance.

Large Musselburgh. Grows to a very large size, with broad leaves, spreading like a fan; hardy, of excellent quality.

London Flag. An old and popular sort; one of the hardest and best for winter use.



EARLY WHITE VIENNA KOHL-RABI

LETTUCE

As lettuce will stand considerable freezing, it may be seeded or transplanted out of doors as soon as the soil can be worked in spring. For a succession, replant every three weeks till within sixty days of freezing weather. The soil cannot be made too rich and this crop must be grown quickly and unchecked to be of superior quality. North of the Ohio lettuce is frequently started under glass like cabbage in hotbeds; in February transplanted to cold frames and hardened to be set out of doors in early April. In more southern or milder winter climates, lettuce may be sown in autumn, protected with sash or coarse litter and in late winter transplanted; or thinned and matured where planted. When the crop is matured under glass it requires much ventilation and little heat, and beware of too much water in cloudy weather. In the summer's heat canvas or a slatted half shade and plenty of water is of value. One ounce of seed gives two thousand plants and three pounds plants an acre. In the seed bed drop twenty-five seed to the foot, and gently rake it in; failure may result from too deep a covering. Mature lettuce in twelve to eighteen inch rows, giving the loose leaf varieties three to eight inches in the row and head lettuce six to twelve inches.

Black Seeded Simpson. This is the most popular early sort on the market. Forms large, loose heads. Leaves thin and exceedingly tender, of light green to golden yellow. Best sort for forcing or outdoor early planting.

Early Curled Silesia. A very tender sort, with fine curled leaves.

Grand Rapids Forcing. Preferred by a great many to the Black Seeded Simpson, on account of being a tougher leaved lettuce. This makes it a fine sort for shipping, as it does not break so easily and stands longer without wilting.

Early Curled Simpson White Seed. Forms a close, compact, mass of curly yellowish green leaves. Good for cold frames or early planting for outdoors.

Boston Curled. Curled leaves of good quality, a popular variety among eastern growers.

Prize Head. The leaves are very large, crimped, bright green tinged with brownish-red and are exceedingly tender, crisp and sweet, forming a large, loose head.



BLACK SEEDED SIMPSON

Improved Hanson. Heads large, hearts quickly and stands the summer well; quality excellent.


Early Tennis Ball, White Seed. A good early sort, and used largely by eastern gardeners for forcing.

Early Tennis Ball, Black Seed. A good lettuce for early use. The heads are small, but very crisp and solid.

St. Louis Head. The most popular and satisfactory head lettuce with market gardeners. It forms a fine head, is tender and crisp, and is very slow to run to seed. Outer leaves are light green, and the inner ones are bright, creamy yellow, of a very fine flavor. Altogether, we recommend it as being the best head lettuce for general use.

All Seasons. One of the best head lettuces, standing the hot sun better than any other sort. Slow to seed.

The Leonard Lettuce—Cabbage head—is the head lettuce for early and late summer planting. Produces a very fine early large solid head, color a fine light green, free from spots. Small ribbed leaves that are very tender and crisp.



IMPROVED HANSON

Big Boston. This variety is identical in color, shape and general appearance with the famous Boston Market Lettuce, but is double the size. It is about one week later in maturing, but its solidity and greater size of head will make it a most valuable sort. A most desirable variety, either for forcing in cold frames or open ground planting.

The Deacon. A magnificent butter head lettuce. It stands the hot weather without becoming bitter or running to seed, and bears fine, large heads of superb quality. Light green outside, and within a beautiful cream yellow of delicious rich, buttery flavor. Highly recommended for home, or market use.

New York or Wonderful. The large white heads resemble cabbage in their solidity, and frequently weight two and three pounds each. The quality is superb, being crisp, rich and tender. It withstands the heat well, making a fine variety for all seasons.

California Cream Butter. A grand, good butter lettuce. The heads are of good size, round and solid; outside, medium green; within the leaves are a rich cream yellow color. Rich and buttery in taste.


Paris White Cos. The Cos lettuce differs entirely in shape from the other varieties, the head being elongated and of conical form, eight or nine inches in height, and five or six inches in diameter. To be had in perfection it requires to be tied up to insure blanching.



BIG BOSTON

MUSK MELON

Musk melon, watermelon, cucumbers, gourds and squash are known as cucurbits. For musk melon follow our cultural directions for cucumber except that where a robust growing variety of musk melon is grown, a space of as much as six by six feet is sometimes required between hills. One ounce of seed plants fifty hills, and three pounds plants an acre. The crop or the last planting for a succession should be in by June, north of the Ohio. While not necessary, it is advisable to pinch off the branches of the muskmelon if a quicker matured or a larger or a better fruit is required. Pick the melon when it parts from the stem without difficulty and store a few days in a cool room.



Rocky Ford. This has become one of the most popular of small or crate melons and is shipped in large quantities from Colorado and Arizona. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. Flesh green, very sweet and highly flavored.

Jenny Lind. Vines rather small but vigorous and productive. Fruits small, somewhat flattened, deeply ribbed and well netted. Flesh green and exceedingly sweet.


Netted Gem. The best early melon known. Shipped to every market of note in great quantities every year. Medium size, but of excellent flavor.

Early Hackensack. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet.

Hackensack, or Turk's Cap. A very large, green fleshed melon. The vines are hardy, vigorous and productive. The fruits are nearly round, usually somewhat flattened; ribs large and of irregular width, densely covered with coarse netting.

Chicago Market. This we consider the best Nutmeg for earliness of maturity, large and uniform size, thickly netted skin, small seed cavity, deep green flesh, juicy delicious flavor and freedom from rot. A favorite with all who prefer a green flesh sort.

Burrel Gem. This is an orange fleshed netted Gem or Rocky Ford.




HOODOO, OR HEARTS OF GOLD

Hoodoo, or Hearts of Gold. A new orange fleshed variety, ideal as a shipping melon and of the very finest quality. Vine vigorous, remarkably blight resisting and very productive. Fruits uniformly of medium size. Netting exceptionally fine and dense, extending practically over the entire surface.

Paul Rose, or Petoskey. A yellow fleshed sort of suitable size for a crate melon and of excellent quality. Vines vigorous and productive. Fruits oval, slightly ribbed and densely netted.

Emerald Gem. A very early, yellow fleshed melon of small to medium size. One of the very best for the home garden.




THE OSAGE MUSK MELON

The Osage. Is of medium size, oval in form, dark green in color, somewhat netted and slightly ribbed. The flesh is extremely and uniformly thick, of firm texture, rich salmon in color; highly flavored and delicious to the rind. Cavity very small. It is a remarkable keeper and a good shipping melon.

Tip Top Musk Melon. The illustration shows a specimen of our strain of this popular melon. This very productive melon is of medium to large size, nearly round, slightly ribbed and fairly well covered with shallow netting. The flesh is deep yellow in color. The universal testimony of everyone using Tip Top is that every fruit produced, whether big or little, early or late in the season, is a good one—sweet, juicy, finest flavor, firm, but not hard fleshed, eatable to the very coating.

Delicious Gold Lined. A new melon of fine uniform shape and without ribs; slightly oval; meat thick, green and light gold towards center.

Honey Dew. The fruits are round or slightly oval, six to eight inches in diameter and weigh about six to eight pounds; the skin is smooth and when ripe is creamy yellow in color; flesh light emerald green, fine grained and of very sweet sugary flavor. Rind thin but very firm and the fruits stand shipping remarkably well.



TIP TOP MUSK MELON

WATER MELON

For water melon, follow our cultural directions for cucumbers, except that it is necessary to give the water melon a space of eight to ten feet between hills, and thin the plants to two to the hill. One ounce plants twenty-five hills and three pounds of seed plants an acre.

Cole's Early. Very hardy, a sure cropper and extremely delicate in texture of flesh, which is of dark red color; rind is thin and extremely brittle, hence not desirable for shipping purposes, but possessing all the other most desirable features. We highly recommend it for home use.


Gypsy, or Georgia Rattlesnake. One of the largest varieties and stands shipment long distances. Fruit cylindrical, square at the ends, smooth, distinctly striped and mottled light and dark green. Flesh bright scarlet and very sweet.

Peerless or Ice Cream. Medium sized with very sweet, scarlet flesh. A good variety for main crop.


Sweetheart Water Melon. This melon is early, large, handsome, heavy and productive. The shape is oval and the color mottled light to a very light green. Flesh bright red, solid, but tender and very sweet.

Florida Favorite. A very large, long melon mottled dark green with stripes of lighter shade. Rind thin but firm; flesh very bright, deep red, very sweet, tender and excellent.

Kolb's Gem. Vines of medium size, but remarkably vigorous and healthy.



SWEETHEART WATER MELON



KLECKLEY SWEETS

Halbert Honey. A variety somewhat similar to Kleckley Sweets but of much darker color. The vines are very prolific and usually bear four or five very uniform melons. Quality the highest.

Tom Watson. A large, long melon similar in shape, color and splendid quality to Monte Cristo but averaging larger in size and with a tougher rind, making it especially adapted for shipping. The vines are vigorous and productive. The flesh is rich red, sweet and tender. Undoubtedly the best shipping melon.

Kleckley Sweets or Monte Cristo. A splendid sort. Vine vigorous and productive. Fruit of medium size; oval, dark, mottled green in two shades, forming indistinct stripes.

Phinney's Early

Vick's Early

Dixie

Alabama Sweet

Light Icing

Dark Icing

Cuban Queen

Red Seeded Citron.

Green Seeded Citron

MUSHROOM SPAWN

For the money invested, no more profitable crop. Once started, it is easy to continue. The supply never equals the demand, so that a market is easily secured.

Pure Culture, in bricks

MUSTARD

Mustard is grown for its seed, which is used for flavoring or medicinal purposes or grown for its leaf, which is used in salad or cooked like spinach. Sow mustard as soon as the soil can be worked in spring and every three weeks for a succession, or in the south it may be sown in the fall for early spring greens. Cover the seed lightly in twelve to eighteen inch drills. Cut the leaf when not over four inches high and expect this cutting in fifty days from the seeding.

Giant Southern Curled. The favorite of the south.

Fordhook Fancy, or Ostrich Plume. Same as above.

Chinese or Large Leaved Mustard. The large leaves which often measure 14 inches, are ready for use in about six weeks after sowing. Plants will continue to yield until frosty weather. Leaves are eaten boiled, like spinach.

Bloomsdale, Large Leaved. Same as the Chinese Mustard described above.

White. Best for general use.

Brown. Stronger than above.

NASTURTIUM

Tall Mixed Garden. Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

Dwarf Mixed Garden. Same as above, except that it grows in dwarf form.



CHINESE MUSTARD

SPECIAL GLOBE ONIONS



RED GLOBE

WHITE GLOBE

YELLOW GLOBE

Our Three Globes bring more money to the onion grower and sell quicker than any other varieties. Our Yellow Globe is the Standard Yellow, our Red Globe is the Standard Red, and our White Globe is the Standard White.

These stocks are quite superior to the ordinary run of Southport Globes.

★**Red Globe.** A fine, large globe-shaped onion, of mild flavor. It is a good keeper, excellent for main crop.

★**White Globe.** A very handsome onion, of splendid quality. Keeps well. It has a good, strong flavor. The best sort for early green onions from seed.

★**Yellow Globe.** This is a large, handsome yellow variety. Shape, perfectly globular; quality fine. A splendid keeper.

ONION SEED—Standard Sorts

Study the demands of your market to know what onion that market requires.

As soon as the soil can be worked in spring, and not after May 1st, sow onion seed in twelve to fifteen inch rows, leaving out every tenth row as a weed alley if preferred. One ounce of seed plants one hundred fifty feet and five to six pounds plants the acre. The black sowing germinating seed should be covered firmly one-fourth inch deep. Quantities of manure had best be applied in the year before the planting, and much commercial fertilizer, high in potash, harrowed in immediately before seeding.

Begin cultivation as soon as the plant can be seen; cultivate frequently and when convenient thin to a stand of two to four inches.

In the so-called new onion culture, the onions are started in hot beds and easily transplanted when the size of slate pencils to the required stand in the field.

★**Early Flat Yellow Danvers.** A good variety, but not as round or quite as early as the Yellow Globe Danvers.

★**Yellow Strasburg, or Dutch.** One of the oldest varieties. Bulbs quite flat, of good size.

★**Australian Brown Onion.** Is of medium size, wonderfully hard and solid and most attractive for market, both as to form and appearance. The color of the skin is a clear amber brown.

★**Yellow Globe Danvers.** This fine onion is of large size. An early and abundant cropper. Bulbs very thick, flat or slightly convex bottoms, full oval top with small neck and rich brownish yellow skin.

★**Michigan Yellow Globe.** The bulbs are large and uniformly spherical with very small necks and the largest diameter below the center of the bulbs of a rich orange color.

★**Ohio Yellow Globe.** An early Globe onion, small neck and very uniform in size and color. Very popular in the marsh onion sections of Ohio and Indiana.

★**Southport Yellow Globe.** A large, perfectly shaped Globe onion and an excellent onion for keeping throughout the winter. A very heavy cropper, handsome in appearance and a good dark yellow color.

★**Prizetaker.** Grows to an immense size and for fall marketing is unexcelled. Although of such great size, it is very hardy and a fair winter keeper, as it ripens up hard and firm; very fine grained, and of mild, delicate flavor. The outside skin is rich yellow while the flesh is white. To get the best results from this onion, the seed is sown in beds and transplanted. It will, however, make a good crop if sown in the ordinary way.

★**Large Red Wethersfield.** We have a very fine and select strain of this sort. Color is deep purplish red, flesh white, moderately grained and very firm. Yields an enormous amount per acre, and is one of the best winter keeping onions.

★**Southport Red Globe.** This is a fine keeper. Large size and considered one of the best red onions. Flesh is fine grained, very mild and tender.

★**White Portugal.** American Silver Skin. This is the best sort to sow for onion sets or for pickling. When sown thickly for either it makes a small, round hard bulb.

★**Philadelphia Silver Skin.** Very desirable for family use. Flavor, mild and pleasant.

★**Southport White Globe.** This grows to a very large size and is a perfectly globe-shaped onion. Color is a clear, pure white. This variety is used by market gardeners for bunching.

★**Bermuda Red.** A very early pale red onion, grown extensively in the Bermudas and southern part of the United States for early shipping to northern markets.

★**White Bermuda.** A straw colored onion, mild flavored; yellow in color, otherwise same as red.

★**Crystal White Wax.** This variety is popular in the south where the transplanting method of culture is practiced.

★**New White Queen** is a fine early silver skinned variety, of beautiful form and rapid growth, and possessing fine keeping qualities.

Onion Sets—See inside back cover.



OKRA

★**Hollow Crown.** Roots comparatively short, with a very smooth, clean skin. The variety is easily distinguished by the leaves arising from a depression on the top or crown of the root.

★**Guernsey.** The best sort for heavy, black soils. Where the soil is exceedingly rich this is the variety needed, as it makes a fine shaped root which does not grow too long.

PARSNIP

Parsley used for garnishing and for seasoning can be planted as soon as the soil can be worked in spring. Cover the slow germinating seed one-fourth inch deep in twelve to eighteen inch rows, later thinning to a six inch stand. One-fourth ounce sows one hundred feet and three to five pounds plants an acre.

★**Plain or Single.** Plain leaves, excellent flavor; very extensively grown for bunching into soup bunches.

★**Double Curled.** The standard sort for outdoor culture, also highly prized by market gardeners for the greenhouse.

★**Champion Moss Curled.** A very fine curled variety. One of the handsomest for garnishing purposes. The exceedingly curled leaves make it desirable.

★**Hamburg Rooted.** The standard rooted sort. The leaves are used for soup greens, and the roots, when sliced, are much esteemed.



CHAMPION MOSS CURLED

PEPPERS

The pods of the pepper are used in sauces, salads, soups or as a seasoning, and the large mild varieties called man-gos are eaten from the hand or variously stuffed and prepared with cabbage, tomatoes or meat. The pods of peppers are green till in ripening they turn red or yellow, according to the variety.

Start pepper in hot-beds and in other ways treat like a tomato. Set out of doors after frosts in thirty-inch rows, giving each plant eighteen inches in the row. One ounce of seed gives, according to the handling, from one to two thousand plants and one pound plants an acre.



★**Long Red Cayenne.** A long, slim, pointed pod, and when ripe of a bright red color. Extremely strong and pungent.

★**Red Chili.** Used in the manufacture of pepper sauce.

★**Red Cherry.** Plant tall, bearing a profusion of bright red, round fruit which is very pungent when ripe.

★**Large Bell or Bull Nose.** A very large sort of inverted bell shape, suitable for filling or for mixed pickle. Flesh thick, hard and less pungent than most other sorts.

★**Sweet Mountain.** Plants very vigorous and productive, growing upright, with moderately large leaves. Fruit very large, long, often eight inches or more in length, by two in diameter.

★**Royal King.** A very smooth, sweet pepper, larger than Sweet Mountain, just right for stuffing and pickling.

★**Ruby King.** An improved American sort, reaching the largest size, yet retaining the symmetrical shape of the smaller sorts.

★**Ruby Giant.** An improvement over Ruby King. It is larger, smoother, finer grained and sweeter. An excellent pepper.

★**Chinese Giant Pepper.** Without doubt one of the very best and largest Mango Peppers ever introduced. Its mammoth size, splendid shape, beautiful, rich, glossy-red flesh and mild flavor, all lead us to speak of it in words of commendation.

★**Pimento.** A very thick flesh, heart-shaped, smooth, mild, crimson variety, much used for salads; fruit pendent.

★**Golden Dawn.** In shape it resembles the popular Bell or Bull Nose Pepper. It is of a most beautiful golden yellow color.

To Our Friends:



WE like to feel and have our customers appreciate that business is more than mere barter and sale.

OUR ideal is to trade fairly, to profit not alone in dollars but in the good will of those we serve; to rear a structure to be known for all that is best in business.

THE large volume of our business enables us to take every advantage of market conditions in the purchase of merchandise and to reduce selling costs to a minimum.

SUCCESS in any business is not based on low prices nor high prices, but on right prices.


THE firm that renders the greatest service gains the greatest reward in profit.

Spraying

is the most important operation on the farm, and it is only by spraying with suitable materials that most of the troublesome insect pests and fungous diseases of fruit trees and garden crops can be controlled.

There is no one spray that will cure everything. Use the spray that will best fit your case.

SPRAY THOROUGHLY



HOME FRUIT AND GARDEN SPRAYING CHART

(One Gallon—Tablespoon Spraying Formulas)

Special Spraying Data Furnished Commercial Fruit Growers and Truck Gardens Upon Request

FIRST SPRAY

Fruit or Vegetable	FOR	PURPOSE	TIME	SPRAY SOLUTION
Apple Pear Cherry Peach Plum	BARK SPRAY Including all forms of scale and scab	To increase life, vitality and productivity of tree	When the leaves have fallen in the fall or before the leaf buds have formed in the spring	For each gallon use 10 Tablespoons Dry Lime Sulphur
SECOND SPRAY This is the Most Important Spray as to results and time of application				
See Note 1	WORM SPRAY	To kill the fruit worms and insects of leaf and bark	When the petals of the blossom are about one-half fallen	2 Tablespoons Dry Arsenate of Lead 1 Tablespoon Dry Lime Sulphur 1 Teaspoon Nicotine Sulphate
THIRD AND EXTRA SPRAYS				
See Note 2	LEAF SPRAY	To control disease and kill worms and insects developed after second spray	Two weeks after second spray—and extra spray should worms and insects appear	2 Tablespoons Dry Arsenate of Lead 1 Tablespoon Dry Lime Sulphur 1 Teaspoon Nicotine Sulphate

FIRST SPRAY

Currant Gooseberry Raspberry Blackberry	BARK SPRAY Including all forms of scale and scab	To increase life, vitality and productivity of plant	Early in spring while plants are dormant	10 Tablespoons Dry Lime Sulphur
SUBSEQUENT SPRAYS				
See Note 1	WORM SPRAY	To kill fruit worms, control disease, kill insects of leaf and bark	When worms first appear and thereafter at 14 day intervals until 5 applications have been made	2 Tablespoons Dry Arsenate of Lead 1 Tablespoon Dry Lime Sulphur Add 1 Teaspoon Nicotine Sulphate to first application only
See Note 2				

REGULAR AND EXTRA SPRAYS

Grape See Note 1 See Note 2	BUG AND INSECT SPRAY	To kill bugs and prevent wormy fruit	As soon as foliage appears, especially on Rose Bushes and thereafter at 15 day periods until 4 applications have been made	2 Tablespoons Dry Arsenate of Lead 3 Tablespoons Prepared Bordeaux Mixture If Lice appear add 1 Teaspoon Nicotine Sulphate
-----------------------------------	-----------------------------	--------------------------------------	--	--

REGULAR AND EXTRA SPRAYS

Potato Cucumber Musk-melon Tomatoes	BUG AND BLIGHT SPRAY	To kill bugs and control blight, especially with potatoes	When plants are real young and thereafter at 10 day intervals until 5 applications have been made	2 Tablespoons Dry Arsenate of Lead 3 Tablespoons Prepared Bordeaux Mixture When small Lice appear add 1 Teaspoon Nicotine Sulphate
--	-----------------------------	---	---	--

REGULAR AND EXTRA SPRAYS

Rose Bushes and Other Shrubbery See Note 1 See Note 2	BUG, INSECT AND LEAF DISEASE SPRAY GREEN LICE (Aphis) SPRAY	To kill insects and bugs and increase vitality of shrub	Apply as foliage appears, especially on Rose Bushes and thereafter at two week intervals As lice (Aphis) appear	2 Tablespoon Dry Arsenate of Lead 3 Tablespoons Prepared Bordeaux Mixture 1 Teaspoon Nicotine Sulphate Use in combination with Arsenate of Lead and Bordeaux Spray, or separately, as desired
---	--	---	--	--

Mix all ingredients separately in a quart of water and strain through cheese cloth, then add water to complete formula. Use level tablespoon or 4 level teaspoons for each level tablespoon.

WHITEWASHING SOLUTION (U. S. Government Formula)

Slack $\frac{1}{2}$ bushel of quick lime with boiling water (keeping it covered during the process), strain and add a peck of salt dissolved in warm water, 3 pounds of ground rice which has been boiled to a thin paste, $\frac{1}{2}$ pound of Spanish whiting and 1 pound of clear glue dissolved in warm water. Mix these materials well together and let stand for several days. Dilute with sufficient water to flow freely, straining the wash through a piece of cheese cloth into the sprayer tank. A small quantity of laundry bluing will add to the whiteness of the surface.

Remedies for Insects and Fungus Contact

The following brief description of our Insecticides and Fungicide Products is quite general, but upon request we will gladly supplement with full details.

Our Seed and Insecticide Department is ready at all times to supply special information in regard to your own spraying problem, no matter what it is.

This service is free. We welcome your inquiries.

ARSENATE OF LEAD

(POWDERED)

A poison taking the place of Paris Green. Its advantages are that it adheres to foliage, does not readily wash off by rain and does not injure tender foliage.

BORDEAUX ARSENATE

(POWDERED)

A combination in proper portions of these standard Insecticide and Fungicide Remedies, killing insects and plant diseases at one spraying and in half the time required to spray separately.

BORDEAUX

(POWDERED)

A Fungicide, curing and preventing black rot, mildew, blight, rust, scab, and all fungoid diseases on fruits and plants.

LIME SULFUR

(POWDERED)

For dormant spraying of fruit and shade trees and bushes against San Jose and Oyster Shell Scale, also for peach leaf curl and brown rot of peaches.

CORONA DRY

(POWDER)

ARSENATE OF LIME

Is one of the most effective poisons for leaf-eating insects. For years it has been used by prominent commercial growers in dust form, and now it is available for the home garden. Among the many pests which it destroys are the following:

Currant worms on currants and gooseberries.

Leaf rollers and other pests on strawberries.

Flea beetle and berry moth on grapes.

Corn ear worm on sweet corn.

Striped beetle on cucumbers, melons and squash.

Cabbage worms on cabbage, cauliflower and kale.

Horn worms and green worms on tomatoes.

PYROX

(PASTE)

An Insecticide and Fungicide for eating insects, blight and fungus. It prevents blight, rot and rust. Kills bugs, beetles and worms. The effect of Pyrox on the strength and vigor of the plant is very marked.

Potatoes sprayed with Pyrox often yield 30% more than those that have not been sprayed. It kills the old hard shells as well as the slugs.

You get positive protection with Pyrox.

SCALECIDE

(LIQUID)

First and foremost, Scalecide is the complete dormant spray showing greater benefits to your trees than any other dormant spray or combination of sprays, either oil or lime-sulfur.

For eighteen years it has shown its advantages all over the fruit growing world.

Scalecide kills all kinds of scale on fruit, shade and ornamental trees.

"BLACK-LEAF 40"

(LIQUID)

Very effective for sucking insects, such as plant lice, red spider, leaf hopper, thrip, etc. Sprayed on it also forms a splendid spray for both insects and fungus with Bordeaux.


"BLACK-LEAF" NICOTINE DUST

It is frequently difficult to reach, with liquid spray, insects protected by dense foliage or by leaves lying close to the ground.

Nicotine Dust is very effective against the numerous soft-bodied sucking insects.


TREE TANGLEFOOT

No crawling insect can pass a band of Tree Tanglefoot. Apply early in the spring—and again in the fall if troubled with the fall canker worm.



"Never Saw A Bug"

"The potatoes that I sprayed with Pyrox kept green until the frost killed them, without a sign of blight. I never saw a bug on them after using Pyrox. It is easier to apply than any mixture I have ever used, and will not wash off in the heaviest showers."—L. A. LITTLEFIELD, winner of the first prize of \$200 in a Maine potato growing contest.




Pyrox
REG. U. S. PAT. OFF.
TRADE MARK REGISTERED

"The Spray
that Adds to
Your Profit"

kills the bugs as fast as they appear, and prevents blight and rot. Use it on the young plants before bugs or blights get their start.

Get this **Pyrox Crop Book**. It tells how to protect your crops against bugs, worms and disease. Ask for a copy.



YOUR TREES NEED "SCALECIDE"

Because it kills *every kind of scale* and destroys the *aphis eggs* before they hatch

Because it wipes out the *Pearl Psylla*, *Bud Moth* and *Case-Bearer*. Also stops the growth of *Canker* and *Collar Rot*

Because it is *invigorating* to *tree growth* insuring *better fruit* and *bigger crops*


Because it *saves money*, *time* and *trouble*. You cannot afford to do without it

SPRAY PUMPS NOZZLES AND ACCESSORIES




General Purpose Sprayer

A serviceable outfit for cold water painting and also for whitewash.



COMPRESSED AIR SPRAYER

Easily carried. Good for working row crops.



Wheelbarrow Sprayer

One of the finest hand sprayers made. Good capacity with high pressure and easily moved.

Spraying is the big factor in perfect fruit production.

Properly carried out and intelligently followed, it accomplishes wonders and opens the way to success and big profits in the raising of fruits and vegetables for home use or for the markets.

Myers' Spray Pumps, Nozzles and Spraying Accessories

are leaders in this field. They are designed and built for better spraying.


Their numerous exclusive features, many of which are patented, insure the highest standard of spraying which produces the results desired.

We can give you a spray pump exactly suited to your particular needs.

Myers' Power Spray Rigs are ideal for spray rings, community and neighborhood clubs.

BUCKET SPRAYER

Used with any ordinary pail and makes an effective spray for small trees, bushes and whitewashing





PAT JET AGITATOR BARREL SPRAY PUMP

Is designed to meet the requirements where a good pump at a moderate price is required.

HAND DUSTER

An efficient blow-gun for dusting method.




ATOMIZERS


A small sprayer but limited by capacity to house plants and household use.

Garden and Lawn Implements

"Norcross" Cultivator-Hoes and Weeders





Will cultivate closer to plants without injuring them than any other type of implement known, leaving the soil level, loose and untrampled. The sharp, tapering shovels enter the ground easily and are so arranged, one with another, as to literally tear up every inch of the soil, from one to five inches deep, as required. Detachable steel prongs, malleable head, extra high handles. Finely finished throughout. Three sizes, suited to both men and women, and the average cost is only that of a common hoe. 3 sizes and prices.



Columbia Planter

Is used by U. S. Government Experiment Stations, State Universities and Agricultural Colleges throughout the country. You can plant any seed any desired distance apart with mathematical precision. You can hill or drill your seed; you can plant one seed in a hill or you can plant a dozen seeds. Seven cylinders come with each machine, which will plant all kinds of seed for the average market gardener.




The "Barker" Weeder, Mulcher and Cultivator

Three garden tools in one—a weeder, a mulcher and a cultivator. The revolving reel blades, working in combination with the stationary knife, destroy the weeds, cut up the soil, separate the dirt from the weed roots and form a perfect soil mulch.

Garden Tools

- | | | |
|---------------------|--------------------|-------------------|
| Garden Trowels | Hay Forks | Canvas Gloves |
| Transplan'g Trow'ls | Com. Hoe and Rake | Mole Traps |
| Garden Weeders | Garden Hoes | Hose Nozzles |
| Pruning Shears | Potato Hooks | Hose Reels |
| Pruning Saws | Weeding Hoes | Rubber Hose |
| One-Man Saws | Warren Hoes | Hose Couplings |
| Lawn Shears | Grub Hoes | Hose Washers |
| Hedge Shears | Mattocks | Hose Clamps |
| Grass Scythes | Pruning Knives | Hose Menders |
| Bush Scythes | Turf Edgers | Lawn Sprinklers |
| Grass Shears | Dock Cutters | Railroad Barrows |
| Scythe Snath | Dandelion Cutters | Garden Barrows |
| Reversible Steel | Onion Hoes | Lawn Trimmers |
| Lawn Rakes | Manure Hooks | Rubbish Burners |
| Wood Hay Rakes | Manure Forks | Grass Hooks |
| Steel Bow Rakes | Post Hole Diggers | Lawn Mowers |
| Mall Garden Rakes | Grind Stones | Lawn Rollers |
| Dandelion Rakes | Tool Grinders | Grass Catchers |
| Plant Supports | Porch Trellis | Corn Shellers |
| Poultry Netting | Baskets | Feed Grinders |
| Lawn Fence | Chopping Axes | Hand Cider Mills |
| Thermometers | Brush Axes | Wine Presses |
| Grafting Wax | Hand Cultivators | Lard Presses |
| Round Pt. Shovels | Hand Corn Planters | Sod Tampers |
| Square Pt. Shovels | Dibbles | Tree Guards |
| Spading Forks | Grape Bags | Flower-Bed Guards |



Grass Catchers

OUR BEST CATCHER


The bottom is made of heavy galvanized iron, the sides of fine quality extra heavy duck, with heavy galvanized wire frame, adjustable steel hooks to fit any width or make of mower.

OUR CHEAPER CATCHER

Is made with canvas bottom and sides—otherwise the same as our best one.


Lawn Tools

Lawn Mowers



"Clarinda"

Clarinda Lawn Mowers are made of the highest grade materials obtainable. Strong frames; double cross bar construction; blades ground to a true, sharp edge, insure perfect cutting. Plain or ball bearing. Improved, perfect and simple blade and bearing adjustments. Size and weight to meet every demand.



"Eclipse"


The Eclipse Lawn Mower is built for use on large lawns, parks, cemeteries, etc. High wheels; built strong. Made of the very best lawn mower materials known. The adjustments on The Eclipse are easily made. Both ends of cutting bar are adjusted alike and at the same time by the use of a simple thumb nut.

**THE ECLIPSE IS THE
LAWN MOWER WITH
A REPUTATION.**

You may pay a higher price, but you cannot obtain a better mower than The Eclipse.

Rubber Hose

Electric




Superior to any other Hose on the market.

It will outwear any other hose of equal price about two to one, and is, therefore, the most economical hose to buy

The construction of this hose is entirely different from that of any other.

We purchase this hose in 500-ft. reels, which enables our customers to purchase as long a hose as they wish, in one piece.

Garden Wheelbarrows



Made from best of materials. Neatly finished. Iron leg braces. 20-inch iron wheel. Every brace bolted. Inside measurement of box, 27 in. long, 18½ in. wide at wheel end, 23 in. wide at handle end.


No pine used in its construction.

Water Weight Lawn Roller

Rolling is advised by the Best Authorities

While rolling is particularly necessary in the early spring, it is also necessary throughout the entire summer, especially after heavy rains.


It discourages the work of worms, ants, moles and gives a smooth, even lawn for the mower to run over.



No. WB5—Empty 85 pounds. Filled 300 pounds.
No. WB7—Empty 110 pounds. Filled 500 pounds.

Miscellaneous Supplies


The Rain King Sprinkler




Different from any other sprinkler made—Circular or stationary spray—fine or coarse—fast or slow—large lawn—small lawn—trees—shrubs—flower beds—takes care of them all—waters a greater area than any other sprinkler, under any water pressure—waters large or small circle from 8 to 80 feet in diameter.

The "Rain King" revolves on a lower pressure than any other sprinkler, and throws water farther under any pressure. Absolutely nothing to get out of order.


All-Iron Hose Reel



The All-Iron Hose Reels are indestructible; light in weight; frictionless; and easily manipulated. These reels will not tip over when unreeling. No weight of hose to carry on the handle.



The "OUT-U-KUM" WEED PULLER
An Entirely New Principle
Aslight Push and Pull thoroughly loosens the surrounding soil and removes not only the weed, but the ENTIRE ROOT.





Galvanized Watering Pots WITH ROSES

New one-piece spout. Large oval breast opening. Top and back handle and roses are welded to body—which makes them a very strong sprinkler. Made in six sizes.

Adjustable Trellises

To be used on porches, over windows, or on the lawn. Instantly adjusted up to 15 feet in height. These trellises have met with general favor. Made in adjustable trellises, sectional trellises, fan trellises, arches and pergolas.



Allen Brass Hose Nozzles

A heavy nozzle giving both full stream, spray and shut-off. Simple; easy to operate; will not get out of order.

Flower Pots

Standard—Red Flower Pots. Round bottom, strongly made, porosity is exactly right. Pots are uniform, which makes for better growing plants.


Cemetery Vases

Iron, painted green, 10 in. deep, with a sharp rod in the bottom that you force in the ground to hold vase from tipping over.

Lawn and Garden Fertilizers

WHAT SORT OF FERTILIZERS DO I NEED?

Most all soils are deficient in Available Phosphoric Acid. It is generally accepted that all fertilizers should contain at least 8% of this element. The amount of Ammonia and Potash needed varies with the different types of soils, crops and farming methods.



What Plants Need:

Ammonia Phosphoric Acid Potash

AMMONIA promotes quick growth of leaves and stalks, producing deep rich green color, indicating plant activities and health. Lack of Ammonia effects a general decreased and stunted growth. In many cases the foliage is the product for which the crop is grown.

PHOSPHORIC ACID applications show marked results. Promotes and invigorates root growth, which produces a larger and stronger plant foundation and greater feeding and moisture area, thus favoring an earlier maturity of crops.

POTASH is needed on soils that have not been manured regularly. Muck, peat, sandy and many black loams are usually low in Potash. It influences development of leaves and woody parts of stems. Stiffens the stalks, stems and straw. Helps starch formation and assists in the production of large heads of plump grain and the fleshy portions of fruits and vegetables.

Armour's Big Crop Fertilizers

Adapted to Illinois Soils

Lawn and Garden Fertilizers

ARMOUR'S SPECIAL LAWN & GARDEN 3-11-1

Make first application in spring, soon after frost leaves the ground. Apply 25 lbs. per thousand square feet. Follow with same application every sixty days. When seeding new lawns, use 50 lbs. per thousand square feet. Rake thoroughly into ground and then seed. For garden use, apply at the rate of 600 lbs. per acre. Mix thoroughly with the soil before seeding or transplanting.

BIG CROP RAW BONE MEAL 4½-22

Made from an accumulation of slaughter house bones, steamed enough to soften and make action more rapid. Best annual fertilizer manufactured. Excellent for rose beds and plants, vines, shrubs and trees—fruit or shade. Also good for bulbs indoors or outside. For roses and plants 50 lbs. per cubic yard; 25 lbs. each for grown trees; shrubs and vines use at rate of 500 lbs. per acre.

BIG CROP BONE MEAL 3-27

Very good for lawns, meadows and permanent pastures, greenhouse benching, rose beds and pot and bench plants. Apply 500 to 1000 lbs. per acre on meadows, lawns and pastures, 50 lbs. per cubic yard for benching, pot plants and roses.

TO PUT new life and fertility into your soil. You can't go on growing crops year in and year out unless you put back into the soil the plant food elements that are destroyed or removed by each season's growing.

Humus is especially necessary in highly cultivated soil and is depleted rapidly by intense cultivation. Manure supplies humus and develops both chemical and bacterial action that makes everything grow.

Wizard Brand Sheep Manure

Is genuine sheep manure from the great sheep feeding stations of the middle west prepared through the extensive Wizard process of direct heat drying, screening and grinding—a whole wagon load of manure in a hundred-pound bag. It is sterilized, every weed seed destroyed—pure manure in concentrated convenient form.

A Natural Fertilizer

Wizard Sheep Manure is a natural fertilizer that supplies both the plant food and humus your soil needs for nature to work with. Experienced gardeners use all the manure they can get because of the life and fertility it puts into the soil. Sheep manure is the richest and best of all animal manures and Wizard Brand genuine sheep manure gives you the equivalent of a whole wagon load of stable manure—in a bag.

For Lawn Making

Wizard Sheep Manure is the most effective of all lawn fertilizers. It promotes a strong, healthy turf of beautiful color—is easily applied by anyone, and brings no weed seeds. Use 10 pounds for each 100 square



feet, scattered one-half before spading and the remainder immediately after. Rake down to a finely pulverized surface before seeding. This process will produce surprising results. An old lawn should have a dressing of 6 to 8 pounds of Wizard to each 100 square feet, to start new life and new color and beauty to your lawn.

For Flower Gardens

Wizard Sheep Manure is the best you can use for your flower garden. Nothing will produce such colors and foliage. It's just what nature needs to make big, strong, healthy plants. Dig it deeply into garden soil and then mix a small handful with the soil in planting each blub, and more, depending upon size, in setting shrubs, vines and trees. Rake it into soil before planting seed in rows or hills. Ten pounds for each 100 square feet is all you require. For planting in pots or window boxes, use one pound of Wizard thoroughly mixed with each cubic foot of earth—or a pound in 5 gallons of water set over night for liquid dressing. Wizard is far better than a chemical stimulant because it is a natural plant food.

For Vegetables and Fruit

Use the same as on the flower garden. Wizard forces quick, rapid growth, improves the color and size, makes crisp, juicy fruits and increases production wonderfully. A light side dressing during the growing season can be worked in along the row or around the hills while cultivating. Small fruits, berries, etc., and larger vegetable plants respond wonderfully to this extra feeding.





ROUP

Roup is the Most Dreaded of All Poultry Diseases

Symptoms—First stage:—Chickens catching cold, eyes and nostrils become watery. The fowls will wheeze when breathing and will frequently sneeze and shake their heads to throw off the mucous.

Second stage:—One or both eyes will become inflamed. Bird will rub its head across its back as the nostrils become closed.

Third stage:—Swelling and hard lump of mucous under one or both eyes. Canker developed in mouth and on tongue. There is a catarrhal odor.

Roup is very contagious and the entire flock will soon become infected, after canker develops, for this is the last stage and unless drastic action is taken to prevent the windpipe from closing with canker, death is very sudden.

The Reason "SMOKE EM" Will Produce An Absolute Cure

The beginning of roup is caused by a cold. The mucous cannot escape from the nostrils after they become clogged. This mucous is carried to the eye and forms a lump causing considerable inflammation. Very often both eyes contain an accumulation of this mucous. There is a small channel connected with the eye and nostrils known as the tear socket. After the chicken contracts a cold the eyes start to water, and gradually the nostrils fill up with mucous until they are entirely clogged, then the tear socket becomes infected and when the mucous cannot find its way out it gradually discharges back through the nostrils to the inside of the mouth and windpipe, forming patches of canker.

It is an established fact that chickens must breathe as well as human beings. Therefore, the first thing to correct the condition of roup is to force the nostrils open so that the chicken can breathe. This is done by the chicken inhaling "SMOKE EM," which is so powerful it forces its way right through the nostrils of the chicken and dissolves the mucous in the nostrils and mouth, causing a free discharge of this diseased matter and thereby depositing the medicinal properties of "SMOKE EM" directly on the diseased parts of the bird, right up inside the nostrils and in the eyes and windpipe, etc.

"SMOKE EM" leaves a thick layer of black deposit covering the diseased parts, and after killing the disease germs will heal these affected parts and produce an absolute cure.



Carbola is a white paint in powder form combined with a disinfectant many times stronger than pure carbolic acid. It is non-poisonous and non-caustic. It kills lice, mites, fly eggs, etc., and helps prevent the start and spread of contagious diseases that affect man, beast and fowl. Carbola is two things in one—a paint that disinfects or a disinfectant that paints. It dries a clear snow white. It saves labor, time and money. It paints and disinfects at one operation in the same time and with the same labor required to paint or disinfect only.

Carbola is recommended for use instead of whitewash in every place where whitewash ordinarily is used

Garages	Cellars
Factories	Outbuildings
Warehouses	Tree Trunks

It is recommended for use instead of whitewash and disinfectants in

Stables	Barns
Kennels	Creameries
Poultry Houses	Hog Pens
Rabbit Hutches	Dairy Buildings

Carbola is superior to whitewash because it not only increases the light and improves the appearance, but destroys bad odors and mustiness. It guards against the start and spread of contagious disease germs, and deprives flies, spiders and other insects of their breeding haunts. Carbola in its dry state is recommended for sprinkling into closets, garbage pails and privy vaults.

In the Poultry House

There is nothing that contributes more to success in poultry raising than absolute cleanliness and sanitation in the poultry house. Clean living quarters mean as much as proper feeding. The best strain of poultry in the world, fed the best rations will not produce their best if the poultry house is not kept clean. Much of the decreased egg production and much of the sickness, low vitality and frequent mortality is due to unclean conditions. Without regular care the yards and ranges where the birds have been running on them constantly, become polluted and filthy—an ideal place for the breeding of disease. The houses soon become filled with red mites, which when present in any number are a great drain on the health and vigor of the flock. Every time you bury a chick you lose some profits. If the growth or production is retarded you lose other profits.

Conkey's

THE ORIGINAL

BUTTERMILK STARTING FEED

Raises Husky Chicks

A *Ready Prepared Mash* for baby chicks and all self-feeding young fowls. This remarkable feed—originated by Conkey and prepared through processes controlled and used exclusively by Conkey is a complete ration—containing all the elements needed for safely starting baby chicks, ducklings, goslings, poult, guineas, pheasants, etc.



THIS superior chick mash was the first commercial poultry feed containing buttermilk—that is why we call it the only ORIGINAL buttermilk starting feed.

Conkey's did not "just happen"—it is a scientifically-balanced feed as clean and wholesome and as conscientiously-prepared as "infant food." Selected, plump grains, ground to proper fineness, are combined with other ingredients so as to make the feed readily digestible, palatable and nutritious. TASTE it, SMELL it, that's the way to judge a chick feed.

Conkey's carries buttermilk in just the right proportion as an aid in prevention of bowel troubles, White Diarrhea, "leg weakness," etc. The buttermilk is Semi-Solid buttermilk, blended with the other ingredients by the ORIGINAL process in such a way as to preserve the appetizing, tonic, and other properties of the newly-churned product.

The moisture in the buttermilk is drawn off by the exclusive Conkey process in such a way as not to subject it to the terrific heat usually required in "drying" buttermilk.

Lactic acid in buttermilk is described as an "intestinal broom" which sweeps away unfriendly bacteria and disease germs in the delicate digestive tract. Buttermilk is also rich in one of the vitamins necessary to growing birds. It is a wonderful appetizer, aid to digestion and flesh builder.

However, it is not the buttermilk nor the other ingredients alone that causes people to declare that their chicks grow twice as fast on Conkey's.

GUARANTEED ANALYSIS

Crude Protein, 12%; Crude Fibre, 4%; Crude Fat 3%; Nitrogen Free Extract, 56%; Carbohydrates, 60%.

Ingredients

Semi-Solid Buttermilk, pinhead oatmeal, a special wheat middlings whole corn meal, corn feed meal and granulated bone.

It is not the buttermilk alone that protects the chicks from disease during the first critical eight weeks. The secret is in the combination of these materials by the Conkey method—the balancing of the ration, as Conkey alone knows how.


Don't be influenced by "cheaper" imitations labeled "buttermilk"—that word may be used to deceive unwary buyers—to cover up a multitude of "sinful" grains, mill sweepings, poisonous weed seeds, musty screenings, worthless by-products, or other poor material having little or no nutritive value.

Conkey's is so palatable that one poultryman said it ought to be used for "breakfast food." One woman wrote: "My chicks just love Conkey's. It is so tasty, and my, how they do grow! Better still, we didn't have a single loss in the present hatch, no White Diarrhea or other bowel troubles like before we began using Conkey's."

FEED IT FIRST 8 WEEKS

Conkey's is all the chicks need the first eight weeks except greens, charcoal, grit, clean water and some fine scratch grains in the litter for exercise. Give grit and water from the start. During the second week add green stuff and in the fourth week finely cracked chick grains, like Conkey's Chick Grains.

Packed in convenient sizes from 2½ lbs. up Buy 1½ lbs. for every chick.
Ask or write for prices.



Conkey's THE ORIGINAL BUTTERMILK GROWING MASH



This mash—second link in the Conkey Chain—is fed after the chicks are eight weeks old. It is balanced for rapid and even development of muscles, bone, vital organs and feathers. Like all Conkey mashes it is low in fibre, clean and always uniform.

Raising chicks to healthy and profitable maturity—this difficult problem is solved by the Growing Mash. Just as the Starting Feed is balanced to carry baby chicks safely through the critical first eight weeks, so is the Growing Mash a complete mash ration for developing birds to maturity.

The Growing Mash differs materially from the Starting Feed—meat scraps are added, bone is increased, and corn decreased—growing birds demand a heavier diet than delicate baby chicks.

The UNBROKEN CHAIN system of feeding, originated by Conkey—one mash for starting

chicks, one for developing, one for laying—teaches an invaluable lesson in demonstrating the need of three different rations for most economical poultry feeding.

GUARANTEED ANALYSIS Conkey's Buttermilk Growing Mash

Crude Protein, 18%; Crude Fibre, 5%; Crude Fat 4%; Nitrogen Free Extract, 50%; Carbohydrates, 55%.

Ingredients

Semi-Solid Buttermilk, wheat middlings, wheat bran, corn feed meal, ground barley, hulled oats, bone, meat scraps, bean meal and oil meal.

Conkey's THE ORIGINAL BUTTERMILK LAYING MASH



The third link in the Conkey Chain is balanced for a full egg basket. Low in fibre, just right in protein for layers.

This mash was placed on the market in response to an insistent demand for an honestly prepared, egg-producing ration that could always be depended upon to be clean and uniform. This demand arose through loss of egg production which is likely to follow a change of "balance" in feed—too many egg mashes unfortunately are variable in quality and therefore unreliable and costly if not positively dangerous.

To produce eggs in abundance, the flock must have a balanced ration consisting of a dry mash and a good scratch grain mixture, also a regular supply of green stuff. Grains alone are not a sufficient ration for laying hens. Conkey's Buttermilk Laying Mash is

made by Conkey's ORIGINAL process. Fresh, Semi-Solid buttermilk and other ingredients are blended so as to tempt the hen's appetite, thus increasing consumption of dry mash so essential to large egg production.

Insist on Conkey's mashes—you can always depend on them. Conkey feeds are always clean, wholesome and uniform.

GUARANTEED ANALYSIS Conkey's Buttermilk Laying Mash

Crude Protein, 18%; Crude Fibre, 6%; Crude Fat, 4%; Nitrogen Free Extract, 44%; Carbohydrates, 50%.

Ingredients

Semi-Solid Buttermilk, corn meal, corn feed meal, ground barley, wheat bran, wheat middlings, oil meal, bone, meat scraps and bean meal.

Conkey's SCRATCH GRAINS



Conkey makes three sizes of Scratch Grains—Conkey's Scratch Grains, for hens; Conkey's Growing Grains, for growing chicks; and Conkey's Chick Grains, for baby chicks.

These mixtures are the connecting links in the complete Conkey Chain. They hook together and re-enforce the three great links when fed with Conkey's Buttermilk Mashes.

Every grain is bright, clean, plump and "meaty"—no dirt at the bottom of the bag, no worm-eaten or shriveled ingredients.

Ask us for Conkey's Complete Feeding Directions. Mailed free if you write direct to THE G. E. CONKEY CO. Cleveland, O.

GUARANTEED ANALYSIS Conkey's Scratch Grains

Crude Protein, 9.75%; Crude Fat, 1.75%; Crude Fibre, 3.00%.

Ingredients

Wheat, cracked corn, kaffir corn, barley, buckwheat and sunflower seed.

Ask us for analyses of other Conkey grains

Don't Break the Chain
of Conkey's Buttermilk Feeds



Have a Conkey Corner in Your Poultry House

Raising poultry is pleasant and profitable when "good luck" is with you. Good luck, however, is not merely a matter of chance, but of BEING PREPARED. For more than twenty-five years Conkey has been THE POULTRY DOCTOR. Take his advice. Install a Conkey Corner of remedies in your poultry house as insurance against disease, trouble, loss and disappointment.

We sell Conkey's Poultry and Stock Remedies because we know they are reliable and we can guarantee them as follows:

Your money refunded cheerfully if any Conkey remedy does not satisfy.



Conkey's Roup Remedy

When Roup breaks out there's no time to experiment—start treatment at once—the disease is very contagious. Cold, rainy, weather and changeable conditions intensify Roup. When birds sneeze, froth in eyes, or run at nose put Conkey's Roup Remedy in the drinking water. Sick birds doctor themselves and others are protected from catching the disease. Better still, always at the first sign of "roupy weather", place Conkey's Roup Remedy in fountains—it's a great preventative.

Packages 25c, 50c, \$1.00; breeder size (5-lb. can) \$5.75. All postpaid.

Conkey's Roup Pills

For treating individual cases and for use at shows when birds develop colds. These pills have saved many a valuable bird.

Packages 30c, 60c, \$1.20; breeder size (1000 pills) \$3.00, \$3.10. All postpaid.

Conkey's White Diarrhea Remedy



Once you have used this old reliable preparation, you will never be without it. As a preventive of bowel troubles, White Diarrhea and other digestive complaints, it has given great satisfaction for many years. Once started diarrhetic conditions often sweep away the whole hatch—hundreds of chicks. Play safe—keep this remedy in the drinking water until the danger period is past. This remedy is also recommended as a preventive measure and for treatment of coccidiosis.

Packages 25c, 50c, \$1.00; breeder size (1200 Tablets) \$3.50, \$3.60. All postpaid.

Conkey's Cholera Remedy



So-called Cholera, bowel troubles, indigestion, diarrhea and kindred ailments often kill a whole flock in a few days. Diarrhea, a drowsy, listless appearance and great thirst—these are the signals to put Conkey's Cholera Remedy in the drinking water.

Packages 25c, 50c, \$1.00; breeder size 5 lbs., \$2.50; \$2.65. All postpaid.



Conkey's Canker and Bronchitis Remedy

This splendid remedy checks cankerous growths and sores and soon restores the bird to normal. This remedy is Conkey's Specific for bronchitis. Also desirable in treating individual cases of Roup and for use at shows for colds.


Package 50c Postpaid.



Conkey's Poultry Laxative

Wherever a laxative or purgative is needed this remedy is just the thing for birds—by varying the dosage you can produce either a mild or a strong effect. Works without a debilitating after-effect. Experts say, and we have found through experiments, that a poultry laxative given every week or two not only keeps birds in better condition but increases the egg yield very materially. If you are not employing this method, try it and be convinced.

Packages, 25c, 50c, 30, 55c postpaid; breeder size (5-lbs.) \$2.75, \$2.90 postpaid.



Conkey's Nox-i-cide Mite-Liquid, Dip, Disinfectant

Every poultry yard, ranch, home, factory, stable, store, office building—in fact, every place where sanitation is necessary to health—needs Conkey's Nox-i-cide every day in the year.


For poultrymen, Nox-i-cide is indispensable as a red mite destroyer—paint it on the roosts and spray it into cracks. Spray premises daily when disease is present and once a week as a preventive of red mites, ticks, "bluebugs" and disease epidemics.

As a veterinary wash in treating swine, sheep, stock, etc., Nox-i-cide is widely used. Sheep raisers, swineherds, cattlemen and others praise it highly as a dip.

Try it for household use—for assisting in driving out ants, destroying odors, routing out bedbugs and cockroaches, for making sinks, cess-pools, garbage containers, etc., sanitary and safe.

Cans, Pint 45c; Quart 70c; ½ Gallon \$1.15; Gallon \$1.80; 5 Gallon \$8.75; 10 Gallon \$17.00. Parcel post, express or freight charges extra.

Ask for Prices on Sprayers



Conkey's NOX The New Solidified Disinfectant and Stock Dip

Here at last is a high-grade disinfectant in solid form. A little cube—only an inch square—mixed in water makes a gallon of dip or disinfectant with a co-efficient of 5.25, making it 2 to 3 times as strong as most coal tar disinfectants.

No fuss and bother with heavy, leaky cans and steel drums. No waste, no guessing as to mixture. A saving on freight and packing charges.

Conkey's Nox is made of imported oils—noted for their uniformity—and concentrated by an exclusive, patented process.

Packages, 6 cubes, 25c; 15 cubes, 60c; 30 cubes, \$1.00; 75 cubes, 2½ lbs., \$1.75; 150 cubes, 5 lbs., \$3.25. Ask for prices on larger quantities.



Conkey's Sorehead Remedy

For dangerous, contagious sore-head or chicken pox, pigeon pox, warts and pian. Attacks the trouble from two angles—a powder for the blood and a salve for the sores.

Packages, 25c, 50c, 30c, 55c postpaid; breeder size (1 lb. salve, 5 lb. powder) \$3.50 or 10 lbs. powder only, \$3.50, \$3.65 postpaid.

Conkey's Gape Remedy

Two different powders—both in same box for one price—one sifted over chicks forces them to cough up parasites, the other is a tonic to put in feed.

Packages, 25c, 50c; 30c, 55c postpaid.

Conkey's Poultry Conditioner

Highly-concentrated fowl regulator, blood purifier and nerve food for run-down birds and conditioning show birds.

Packages, 25c, 50c; 30c, 55c postpaid.

Conkey's Limberneck Remedy

For Limberneck, Ptomaine Poisoning, etc. Packages, 50c; 55c postpaid.

Conkey's Scaly Leg Remedy

A few applications does the work.

Package, 25c Postpaid.

Conkey's Blackhead Remedy

Turkey breeders should have a package on hand as blackhead is deadly in advanced stages. Should be given regularly to growing poults.

Packages, 50c; 55c postpaid.

Conkey's Poultry Worm Remedy

This prescription rids birds of many troublesome worms, thus promoting a return to healthy conditions. Give it as soon as you suspect worms—it will help the whole flock.

Packages, 25c, 50c, 30c, 55c postpaid; breeder size, (5 lbs.) \$2.75, \$2.85 postpaid.



Conkey's Lice Powder

For dusting hens, nests, growing chicks—wherever body lice must be overcome.

Packages, 10c, 25c, 50c; pails 12-lb. \$1.40; 25-lb. \$2.75. Parcel post, express or freight, extra.

Conkey's Lice Liquid

For painting roosts, fittings, inside of house, nest boxes and wherever mites congregate.

Cans—qt. 60c, 2-qt. 90c; gal. \$1.50; 5-gal. \$7.00, parcel post, express or freight extra.

Conkey's Head Lice Ointment

For overcoming and preventing murderous head louse which "eats up" baby chicks.

Packages, 10c, 25c, postpaid.

Conkey's Conkey's Lice Fix

A preparation in ointment form for fighting body lice. One application lasts a month.

Packages, 25c, 50c postpaid.



Conkey's Fly Kicker


Dairymen, horsemen, cattlemen, and sheep raisers declare this remedy the best investment they make—animals free from insects do better in milk and butter fat production, while growing stock unquestionably fattens faster when relieved from disease-spreading insects.

Cans—qt. 60c; ½ gal. 90c; gal. \$1.50; 5 gal. \$7.25; 10 gal. \$14.00. Parcel post, express or freight extra.

Conkey's Stock Tonic

A general conditioner of real merit for live stock.

Packages, 25c, 50c; pails, 12 lb. \$2.10; 25 lbs. \$3.45; bags, 50 lb. \$5.25; 100 lb. \$10.00. Parcel post, express or freight charges extra.



Conkey's POULTRY TONIC


Every bird from chick to maturity will be more productive, healthier and more profitable if given a good tonic and regulator. Conkey's Poultry Tonic helps birds to get more out of their feed; they produce more eggs and better flesh on LESS FEED, by better digestion and assimilation.

Conkey's Tonic is all medicine—free from filler, red pepper, and "hot stuff" to overstimulate the birds and break down their health. Conkey's builds on a natural, healthy basis, inducing steady and persistent laying. Keeps the young chicks growing, makes molting easy, strengthens the bird for bad weather and generally maintains a high health average.

Buy it by the pail. Packages, 25c, 50c, \$1.00; pails, 12-lb. \$1.60; 25-lb. \$3.00; bags, 50-lb. \$3.00; 100-lb. \$9.50. Parcel post, express or freight charges extra.


Poultry Supplies

Star Chick Fount




Fits any Mason jar. Made of one piece of heavy non-rusting metal. No solder. No seams. No loose parts.

Round Baby Chick Feeder




A very popular feeder. Made of galvanized iron. The top fits snugly, yet can be easily taken apart for cleaning. Can be used for water or milk.

Daton Fount



Fits any size Mason jar. Will not overflow if set on average level ground. Nothing to break or get out of order. Made as a drinking fount only.



Lice Repelling Nest Eggs

Closely imitates a real egg. It aids greatly in keeping the nest and hen free from vermin.

Metal Scraper and Cleaner




Made of heavy galvanized iron. Is just the thing for cleaning out brood coops, nests and dropping boards.


Moe's Egg Tester

To test the fertility of eggs during the period of incubation.

Used with an ordinary lamp (No. 2 burner) in a dark room.




Regal Egg Carrier



Is adapted to either parcels post or express and can be used time after time.

Made in four sizes: 15 eggs, 30 eggs, 50 eggs, 100 eggs.




Metal Egg Crates

For Parcels Post

For shipping eggs, butter and other farm products

by parcels post. They are made for continued use, being strongly constructed but light in weight.

Square Brood Coops



Made of heavy galvanized iron; removable bottom; easily cleaned. Provides perfect shelter for both hen and chicks.

Poultry Supplies


Moe's Bottom Fill Fount

This fountain fills the requirements of breeders for an inexpensive article. Made in two pieces. Easily filled and cleaned. The round taper shape prevents bursting from freezing. Made in 3 sizes: 1 Qt., 2 Qt., 1 Gallon.




Moe's Wall Fountain

A practical and convenient style of fountain. Can be hung on the wall, up out of the litter. A very popular style with many breeders. Removable bottom. Capacity One Gallon.




Moe's Grit and Shell Box

The feeding of grit, ground shell and charcoal is now recognized as an essential part of the diet, to keep fowls in healthy, prime condition. There is no more economical method than with these inexpensive compartment boxes. Three sizes—two, three and four compartments.




Freezeless Sanitary Drinking Fountain

Built on the principle of a thermos bottle. It keeps warm water warm in winter and cool water cool in summer. Without warm water hens cannot produce eggs in winter at a profit. Cold water a single day will stop egg production a whole month.



Oats Sprouter

Made of metal. Strong and rigid. Provides the very necessary green feed at all seasons; healthy chickens and more eggs. Frame of steel, well braced. Six heavy galvanized pans; five of the pans have perforated bottoms to secure the proper drainage, and the bottom pan is solid to hold the drippings.



Poultry Netting

THE CLIMAX BRAND

2x2 Diamond Mesh, from 12 in. to 72 in. wide.


1x1 Diamond Mesh, from 12 in. to 36 in. wide.



Galvanized after being woven, the result is a netting protected thoroughly from moisture, which will stand an out-door exposure of many years.

Lamp Bowls

Heavy galvanized iron bowls or founts for incubators, brooders and fountain heaters.




Dry Mash Hopper

The wire mesh has been eliminated which causes sores on fowls when the mash packs and the birds pick through at it; instead there is a series of strong wires running across which adds strength to the hopper and is a perfect regulator of the flow of feed.

Four sizes:

8½ in., 12½ in.

24 in., 30 in.



Poultry Supplies



Key Ring Leg Bands

Made of celluloid. In six sizes and ten colors. From baby chick size to the largest turkey.

Self-Locking Leg Bands


A Seal Band that requires no sealer. Locked simply by pushing it together. Made of a bright nickel-colored metal that will not rust or corrode. Made in eight sizes. Numbered consecutively with embossed numbers.



Aluminum Leg Bands



Made of sheet aluminum, with large raised numbers—easy to read. Adjustable for any size fowl. Quickly applied. Packed in paper cartons of 12, 25, 50 and 100 bands each.



Ideal Poultry Punch

A new improved scissor type punch. Works easily.

Cuts clean and does not pinch the foot. Convenient to carry in vest pocket. Nickel-plated finish. Length $3\frac{1}{2}$ inches.

Double Feeding Troughs


For Chicks and Growing Stock



Sliding top, easily cleaned. Made of best galvanized iron. No sharp, rough edges to injure chicks. Made in three sizes: 12 in., 18 in., 24 in.


Sanitary Feeding Trough

For Grown Fowls



Sliding top, can be quickly removed for cleaning or filling. Suitable for dry feed, wet mash or water—the feed saved by using Moe's Troughs will more than pay their cost in a short time. Three sizes: 12 in., 18 in., 24 in.


Moe's Poultry Punch



A popular and practical punch for baby chicks. Punches a clean hole in the web between the toes and will not bruise the foot. Guaranteed to work perfectly.

Conkey-Norwich Chick Feeder

Keeps Feed Clean



After making sure the feed is right, the next step is to make sure that the method of feeding is right—to avoid pollution of feed, one of the greatest sources of disease and death among chicks.

Shape and arrangement allows maximum number of chicks to eat. Rain top protects feed from rain. Made in one size only—20 in. Will accommodate up to 25 chicks. Three hoppers placed end to end, take care of 100 chicks.

FREE!

Any or all of the following Manuals, containing valuable information that has required years to accumulate.


- Pyrox Spray Guide.
- M. S. Co. Sprayers Manual.
- Pruning and Pruning Saws.
- The Proper Care of Lawns.
- The Corona Garden Guide.
- Garden Pests and Their Control.
- Myers' Spray Pump Manual.
- Conkey's Poultry Book.
- Conkey's Leaflet Telling How To Raise Husky Chicks.

"Buckeye" Incubators

(STANDARD)

THE WORLD'S BEST HATCHER

"Built Up to a Standard---Not Down to a Price"



Buckeye Incubators are unquestionably the most successful hatching devices that have ever been placed on the market. Each and every machine is sold under an **ABSOLUTE GUARANTEE** to hatch more chicks and bigger chicks than any other incubator on the market. They are endorsed by all the Agricultural Colleges and used by the largest and smallest successful breeders.

**"BUCKEYE" INCUBATORS
ARE SOLD BY MORE
THAN 1,200 MERCHANTS
THROUGHOUT THE U. S.
AND CANADA**

**BUCKEYE DEALERS SOLD MORE INCUBATORS and BROODERS LAST YEAR
THAN WERE SOLD BY ALL OTHER DEALERS COMBINED.**

Each Buckeye Incubator is complete in every detail—all ready to use. Equipped with copper tanks, double walls throughout and approved by the Insurance Underwriters' laboratories. No extras to buy—no previous experience necessary. Full and complete operating instructions go with every machine.

Fire-Proof and Fool-Proof

The Last Word in Incubators

BUILT IN FIVE SIZES:

No. 1

Capacity
120 Eggs

No. 2

Capacity
175 Eggs

No. 3

Capacity
250 Eggs

No. 4

Capacity
350 Eggs

No. 5

Capacity
600 Eggs

\$37.50

\$44.50


\$57.75

\$68.00

\$107.00

"Buckeye" Incubators

(STYLE "E")



Buckeye Incubators Nos. 16 and 17

tors are made of "ARMCO" rust-resisting, galvanized steel and equipped with extra large boilers that will provide the necessary temperature with an extremely small fuel consumption.


The lamps are constructed of galvanized steel and suspended on cast-iron lamp supports that are rigid, safe and dependable.

Aside from these three differences, Buckeye Style "E" Incubators are identical in their equipment with the Buckeye "Standard" Incubators and are sold under the same ABSOLUTE GUARANTEE to hatch more chicks and better chicks than any other incubator on the market.

No Extras to Buy


Full and Complete Operating
Instructions with Each
Machine.

No. 14	No. 16	No. 17
Capacity	Capacity	Capacity
60 Eggs	120 Eggs	210 Eggs
\$16.50	\$27.50	\$36.75



Buckeye Incubator No. 14

“Buckeye” Blue-Flame Colony Brooders



Here is a Colony Brooder heated by an extremely efficient “Blue-flame” burner that can be used to good advantage by breeders who are unable to secure hard coal.

These brooders are equipped with an improved type of blue-flame burner that will furnish an abundance of heat at a very low cost of operation. There is nothing complicated about their operation, and since we know them to be the most highly efficient brooder of this type on the market, we have no hesitation about recommending them to our trade.

All these brooders, regardless of size,

are equipped with a self-feeding oil container holding one gallon of oil, which never requires filling more than once in twenty-four hours. The flame in the burner is controlled by turning the wick higher or lower, just as we regulate the flame of an ordinary lamp.

The hovers are substantially built of galvanized steel and are supported by four cast-iron legs.

No. 27

Diameter, 34 Inches
Capacity, 200 Chicks

\$17.50

No. 28

Diameter, 42 Inches
Capacity, 350 Chicks

\$20.00

No. 29

Diameter, 52 Inches
Capacity, 500 Chicks

\$22.50

“Buckeye” Lamp-Heated Brooders



The “Buckeye” represents the last word in lamp-heated brooders. Twenty-seven years of consistent brooder building has resulted in the addition of every desirable device that might be beneficial to the chicks or the operator. These brooders are so simple in construction that the most inexperienced person can operate them with absolutely satisfactory results. As a matter of fact, there is nothing connected with this brooder, excepting the lamp, that requires any attention whatever.

“Buckeye” Brooders are constructed of sheet steel throughout and supported on sturdy cast-iron legs. The flannel curtains are doubled in order to insure the easy maintenance of desired temperature.

No brooder ever offered to the public has met with anything like the popular demand for the “Buckeye.” It virtually sells itself.

Each brooder leaves the factory fully equipped with complete lamp and thermometer.

MADE IN THREE SIZES:

No. 20

Diameter, 19 Inches
Capacity, 60 Chicks

\$11.75

Shipping Weight, 19 Pounds

No. 21

Diameter, 22 Inches
Capacity, 100 Chicks

\$15.50

Shipping Weight, 25 Pounds

No. 22


Diameter, 30 Inches
Capacity, 150 Chicks

\$19.00

Shipping Weight, 65 Pounds

“Buckeye” Coal-Burning Brooders

**Grows
Three
Chicks
Where
One
Grew
Before**



**Saves
One-Half
the
Expense
and Nine-
Tenths
the Trouble**

Showing a Buckeye “Coal-burning” Brooder in Operation with 1,500 Chicks

This is the Coal-Burning Brooder that revolutionized the whole poultry industry by eliminating the excessive mortality, trouble, expense and uncertainty that existed in the older types of oil-burning brooders.

You fill this brooder with hard or soft coal twice a day and then it takes care of itself. It is self-feeding, self-regulating, simple, safe and everlasting. Requires no special kind of house and is guaranteed to operate satisfactorily in any room that is big enough for the chicks.

The “Buckeye” Brooder consists of a heavy cast-iron stove that will last a lifetime. Nothing to break, nothing to wear out. The stove is equipped with an automatic regulator that absolutely controls the temperature every minute of the day and night. Because of this regulator, the brooder requires no attention whatever beyond the filling with coal twice a day and shaking the ashes down twice a day.

The “Buckeye” Brooder is made in three sizes. No. 18 will accommodate any number of newly hatched chicks up to 500. No. 19 will accommodate any number up to 1,000. No. 25 will accommodate any number up to 1,200. Either size can be used to equal advantage by both the large and small breeders, as this type of brooder will care for 50 chicks or the full rated capacity with equal efficiency.

The canopy furnished with “Buckeye” Brooders is made of 28 gauge galvanized steel.

“Buckeye” Brooder No. 18

Height of Stove, 20 Inches.
Diameter of Base, 11 Inches.
Diameter of Grate, 8 $\frac{1}{4}$ Inches.
Diameter of Canopy, 42 Inches.
Stove Equipped with Rocker Grate,
Self-Cleaning and Anti-Clog.

Equipment Includes Portable Ash Pan
for Stove, Rope and Pulleys for Canopy

\$21.50

“Buckeye” Brooder No. 19

Height of Stove, 21 $\frac{1}{2}$ Inches.
Diameter of Base, 12 Inches.
Diameter of Grate, 9 Inches.
Diameter of Canopy, 52 Inches.
Stove Equipped with Rocker Grate,
Self-Cleaning and Anti-Clog.

Equipment Includes Portable Ash Pan
for Stove, Rope and Pulleys for Canopy

\$26.50

“Buckeye” Brooder No. 25

Height of Stove, 24 Inches.
Diameter of Base, 14 Inches.
Diameter of Grate, 10 Inches.
Diameter of Canopy, 56 Inches.
Stove Equipped with Rocker Grate,
Self-Cleaning and Anti-Clog.

Equipment Includes Portable Ash Pan
for Stove, Rope and Pulleys for Canopy

\$30.00

WRITE YOUR OWN MONEY-BACK GUARANTEE

We will permit you to try any size “Buckeye Colony Brooder” for 30 days under any kind of guarantee you care to write and return your money without argument if you are not entirely satisfied.

Martin-Senour **Monarch Paint**

100% Pure

MONARCH PAINT IS COMPOSED OF
ABSOLUTELY

PURE WHITE LEAD
PURE OXIDE OF ZINC
PURE LINSEED OIL
AND COLOR

WHICH ARE THE BEST KNOWN
INGREDIENTS FOR PAINTS.

Monarch Paint is guaranteed absolutely pure, is sold subject to chemical analysis and being made of pure materials it covers 25 per cent more surface, wears longer, and is therefore more economical than adulterated paint or lead and oil.

Monarch Paint has given entire satisfaction for over 40 years.

Senour's Floor Paint

Is a varnish paint and made to dry very hard with a high lustre and sufficient hardness and elasticity to withstand the wear and tear to which floor paints are subjected.

Neu-tone

A washable flat wall paint for interior decoration. It dries with a soft restful and beautiful finish, showing neither gloss nor lustre, and the color is permanent under all conditions.

Red School House Paint

Is made of selected English red oxide, machine mixed and ground in linseed oil.

Covers more surface, lasts longer than the coarse hand-mixed materials.

Made in popular colors, including white.

For barns, fences, roofs, out-buildings and grain elevators.



Wagon and Tractor Paint

For finishing and refinishing wagons, tractors, sleighs, farm implements and all surfaces for which durability is essential and where appearance should be considered.

Screen Enamel

For protecting both the frame and the wire and is made expressly for this purpose.

Screens should be gone over every year, and it will be found they will stand the weather better and last longer if given two coats.

Shade-kote

Is made especially for renewing the finish and color of window shades. By using Shade-Kote the original color is restored, giving the shade a smooth beautiful appearance.

Porch and Lawn Furniture Enamel

Is made from materials especially selected for the purpose. Ground in varnish, that, through many trying tests, has proved its ability to resist wear and maintain its gloss under the hardest exposure.

Auto Flat and Varnish Finishes

REFINISH YOUR CAR THE
SAME WAY THE AUTOMOBILE
PAINTER WOULD DO IT

Martin-Senour Co. have developed materials that are perfect in every respect—that have been made so that the most inexperienced can get fine results.

Many automobile owners are skeptical and hesitate to attempt repainting their own car

—BUT—

By using Martin-Senour Auto Flat and Auto Varnish Finish you can get as fine a finish as though done by a professional.



MARTIN VARNISH CO.
MAKERS OF 100% PURE VARNISHES
CHICAGO

Martin Varnishes

Are made from pure varnish gums, pure varnish oils, pure turpentine, and labeled on every can

100% Pure

Martin Varnishes absolutely contain no benzine, rosin or water, or any other adulterant.

MARTIN'S 100% PURE INTERIOR FINISH

Is an unusually durable and efficient interior varnish. It produces a rich gloss; may be rubbed and will not mar. Is not effected by moisture.

MARTIN'S 100% PURE FLOOR VARNISH

Is not effected by hot or cold water; will not mar or scratch white. Intended for all surfaces subjected to unusual wear.

MARTIN'S 100% PURE VELOUR FLAT FINISH

Gives a perfect imitation of a rubbed finish—either flat or semi-gloss—and saves the expense of such an operation. Can be applied over either old or new varnished surfaces; produces a soft satin finish.

MARTIN'S AMBER-LYTE FLOOR OIL

A wonderful finish for maple floors. Penetrates deeply into the pores of the wood, which acts both as a filler and a surfacer. Dirt and grease spots cannot adhere to a surface finished with Amber-Lyte and scrubbing is reduced to a minimum.

Kyanize
KY-AN-IZE

Kyanize

FLOOR FINISH

Excellent for both Floors and Furniture.

Kyanize Floor Finish is a colored varnish made expressly to resist scuff and hard wear. It is also very satisfactory for standing woodwork, doors and wainscoting.

Kyanize

WHITE ENAMEL

The outstanding characteristics of Kyanize Enamel are its extraordinary durability, its smoothness in working under the brush, its elasticity, making it impervious to cracking, checking, peeling or softening; its ability to retain its marked whiteness and porcelain-like surface for a prolonged period.

The Kyanize New Tints carry the same unvarying qualities which have distinguished Kyanize White Enamel from all inferior products.

Kyanize


WASHABLE CELOID FINISH

A semi-gloss or celoid enamel finish for all walls, woodwork and furniture. A finish that dries over night with a satin-like lustre. A very satisfactory finish for kitchen walls that require frequent cleaning. Made in white and delicately tinted shades. Very durable.

Kyanize

BABY CAB ENAMELS

Whatever else may be desired in a baby carriage, an attractive trim appearance is above all. Our Kyanize Baby Cab Brown, Gray, Ivory and Blue are especially suited to transform the old stained carriage into a bright, lustrous and water-proof vehicle.



FLOWERING BULBS FOR FALL PLANTING

To the lover of flowers there is no class of plants so much prized as those which are produced from bulbs. ¶ The few named varieties of Tulips, Narcissus, Hyacinths, Daffodils and Crocus are included in our order direct from the growers at Sassenheim, Holland.

Hyacinths

- L'INNOCENCE —Pure White
- GERTRUDE —Beautiful Pink
- LADY DERBY —Extra Rose
- GRAND MAITRE —Large Blue
- YELLOW HAMMER —Early Yellow

Single Early Tulips

- ARTUS —Beautiful Red
- COTTAGE MAID —Rose, White Striped
- KEIZERSKROON —Red, Golden Bordered
- MAC KINLEY —Orange Carmine
- LA REINE —White
- THOMAS MOORE —Orange



Double Early Tulips

- COURONNE D'OR —Orange and Yellow
- IMPERATOR RUBRO-ROM —Scarlet
- LA CANDEUR —Pure White
- MURILLO —Pink
- SALVATOR ROSE —Rose
- TEAROSE —Pale Yellow

Single Late Tulip

- INGLESCOMBE YELLOW —Very Large Yellow

Crocus

BLUE, YELLOW, RED and PURPLE

Darwin Tulips

- BARONNE DE LA TONNAYE —Bright Rose
 FARNCOMBE SANDERS —The Best Red
 MADAME KRELAGE —Bright Lilac Rose
 MASSACHUSETTS —Pink with White Center
 PRIDE OF HAARLEM —Bright Rose, suffused with Purple
 REV. H. EWBANK —Heliotrope Lilac
 SIERAAD VAN FLORA —Bright Red with Blue Base
 WILLIAM COPELAND —Bright Violet
 ZULU —Purple Black

Breeder Tulips

- BRONZE QUEEN —Soft Buff, tinged Golden Bronze
 BRONZE KING —Bronze Yellow
 MEDEA —Salmon Carmine
 PRES. LINCOLN —Large Dark Violet

Single Narcissus

- BIG EMPRESS —White Parianth, Yellow Trumpet
 BIG EMPEROR —Primrose Parianth, Yellow Trumpet
 BIG VICTORIA —Cream White Parianth, Yellow Trumpet
 GOLDEN SPUR —Rich Deep Yellow
 LUCIFER —White Parianth, Orange Red Cup
 KING ALFRED —Clear Golden Yellow
 POETICUS ORNATUS —White, Yellow Cup

Double Narcissus

- VAN SION—The famous Dutch Daffodil
 —Golden Yellow

Narcissus Poetaz

(HYBRIDS)

- ELVIRA—"Cloth of Gold"
 —Hardy



The Modern Gladiolus

Is the Queen of Cut Flowers

If cut just after the first blossom is unfolded it will last for ten days. It is decorative above almost all other garden flowers, yet it is exceedingly easy to grow. The bulbs can be planted as early in the spring as the ground can be worked, and will grow in almost any soil.

Tuberoses

DRARF EXCELSIOR

—Well Cured, Free From Rot

Flowers

'Mongst flowers pure I love to trod
 In gardens fair or in the sod.
 I like to take them in my hand
 And look into their faces grand.

They come in every shade and hue
 From purest white to dainty blue.
 No grander beauty could there be
 That ever Human eye could see.

Not only for the young are they
 But also for the old and gray;
 To love, to hold, to keep so dear
 And fill their kind old hearts with cheer.

Farm and Home Uses

→ Arrow Carbolineum ←

MADE IN U. S. A.

(Formerly *Avenarius Carbolineum*)

PRESERVES WOOD EVERYWHERE

Nut Brown Color:

Preserves wood everywhere against rot and decay and adds at least 100 per cent to the life of fence posts, poles, sills, floors, bridge timbers, porches and to wood imbedded in concrete.

Arrow Carbolineum will double or even treble the natural life of fence posts, etc., regardless of grade or specie of wood used, or the prevailing climatic conditions. Its use enables the use of inferior grades, even such as willow and cottonwood.

COVERING CAPACITY on average size posts:

- 40 posts per gallon for dipping butt.
- 60 posts per gallon for butt, brush use.
- 100 square feet rough lumber per gallon with two brush applications.

Kills Chicken Mites in Poultry Houses

Applied ONCE a YEAR—See Guarantee.

CHICKEN MITES

There are a number of insect parasites infesting poultry houses, etc., but very little is known about them and their habits, and they are generally called Lice. A distinction, however, should be made between that kind living on the body of fowls all the time, the "Body Lice," and those that bother the fowls, etc., during the night only and crawl away in the morning to spend the day in the cracks and crevices of the infested building. These are called "Hen-Lice" or "Mites."

These mites are pests and genuine blood suckers and vampires and while the chickens can get rid of the body lice and keep them within

limits by an occasional dust or sand bath, they are absolutely at the mercy of and helpless against the Mites, which suck their blood and gradually kill them.

It is therefore of vital interest to help the chickens, and the quicker the mites are cleaned out, the better it is. Results will quickly show in the shape of healthy Chickens and plenty of eggs.

There are quite a few remedies, however all of them are efficient only a short time, as they will quickly evaporate, and therefore must be applied almost continually. One single, annual application of Arrow Carbolineum will do the work. It will not only kill all the vermin by direct contact, but if sprayed or brushed, it will penetrate all cracks and crevices and reach the mites at close quarters and effectually stop their propagation.

Kills Chicken Mites in Poultry Houses

Apply once a year.

GUARANTEE:

We guarantee that one thorough application of ARROW CARBOLINEUM either by brush or sprayer, to the interior walls, dropping boards, roosts, etc., to such buildings, after a previous cleaning and no matter whether they are of wood, tar paper or plaster, will exterminate mites in same FOR A WHOLE YEAR.

ALABASTINE

For Every Room in the House

Instead of Kalsomine or Wall Paper



There is a correct Alabastine color—a color to harmonize with rugs and furnishings—for every room in your home. For your reception hall Alabastine will give a rosy glow of welcome. And all other rooms may be made equally impressive of their purpose and the taste of their occupants.

Genuine Alabastine comes in five pound packages, always marked with the cross and circle printed in red. It may be used over plaster, wall board or any interior surface.

PEAS

As to a superiority between smooth and wrinkled peas it is all a matter of individual taste, but the preponderance of taste is in favor of the wrinkled varieties.

ALL VARIETIES OF PEAS, REGARDLESS OF HEIGHT, MAY BE GROWN SUCCESSFULLY WITHOUT A TRELLIS OR SUPPORT. As peas vary in height from six inches to six feet, it follows that the distances in the row and apart in the row should vary. Dwarf or half dwarf varieties are best planted in double or companion rows six inches apart to support and shade each other in their growth; then leave a space of eighteen to thirty inches, according to height of the variety, and repeat the double row. The tall varieties that may be given support are planted in single rows, the space between the rows somewhat less than the height of the variety. Drop ten to twenty dwarf peas to the double row or six to ten tall peas to the foot of row, using one quart to one hundred feet and three bushels to the acre.

Plant all peas at least five inches deep in soil that has been deeply plowed. This deep planting is the grower's attempt to give the peas the cool, damp climate they prefer. Lightly harrow or rake the soil when the peas should be breaking through, and continue to cultivate till the vine stops the work.

All peas stand some frost and may be planted as soon as the soil may be worked in spring. Peas should be planted frequently for a succession all north of the Ohio. The early varieties are planted in August for a late autumn crop.

For quality's sake, pick before they crowd the pod and pick all pods as rapidly as produced to somewhat extend the plants bearing.

As all varieties of peas lose their characteristics when left without that selection given by expert seedsmen, it is necessary to go to a reliable source for seed peas.

SMOOTH SEED

★**Alaska.** Well known and extensively used, especially by Cannerymen. Very early, and when carefully grown, uniform in ripening. Vine is strong and vigorous, 2 to 2½ feet high, of a peculiar light green color; pods 2¼ to 2½ inches long, straight and blunt at the end, and light in color.

First and Best. Early, productive and hardy, with a strong, vigorous vine, which is light in color and uniform in growth, 2½ to 3 feet in height and bearing straight pods 2½ to 2¾ inches long, round, light in color, and blunt at the ends.

Early May Improved. This pea is one of the best of the "White" earlies and is superior to First and Best or Profitable Early Market. Vines are strong growing for this class of pea, about 30 inches in height, foliage pale green. Pods are pale colored, straight, round and blunt. Average 2¼ inches in length. Fit for use fifty-six days from planting. Seed small to medium sized, white and smooth.

Pride of the Market. Of fine growth and general appearance, both vine and pod, and closely resembles the Stratagem except that the vine is not quite so long and the pods are deeper green in color. The vine is 20 inches high, foliage dark green color. Pods are 3½ inches long, broad and dark in color. Fit for table use sixty-one days from planting. Seed blue, slightly dented, large.

Melting Sugar. Large edible pod. Height, 42 to 48 inches. Pods, 4 to 4½ inches long and 1½ inches broad. Fit for table use eighty days from planting.

★**White Marrowfat.** Vines hardy, strong, vigorous and bearing broad, thick, leathery pods.

Black-Eyed Marrowfat. Strong and vigorous vines bearing pods near the top of the vine.

WRINKLED SEED

★**American Wonder.** Vigorous, productive vines, with a luxuriant foliage, and producing the leaves on one side of the stalk, and growing from 9 to 12 inches high. On account of its dwarf habit of growth it is very desirable for private garden use. Pods are light colored, straight, round, about 2½ inches long, and blunt at the end.

★**Nott's Excelsior.** Resembling Gems in habit, but more dwarf and uniform in growth; height, 12 to 17 inches, with rather light foliage.

★**Little Gem.** Strong and vigorous in growth, producing vines from 18 to 24 inches in height, dark foliage, bearing pods singly on both sides of the stalk, beginning near the ground. Pods are almost straight, 2½ to 2¾ inches long, light in color and blunt at the ends.

★**Horsford's Market Garden.** Strongly resembling Premium Gem in habit of growth, but about one-third taller, vines growing 26 to 30 inches high.

★**Advancer.** Vines upright and vigorous in growth, hardy and productive. Height, 30 inches, foliage dark green. Pods 2½ to 2¾ inches long, round, dark colored and blunt.

★**Laxtonian.** Vine 1½ feet in height with dark green foliage. Large curved dark green pods, pointed at the ends. Seed green, wrinkled, large sized.

★**Little Marvel.** Height of vine 18 inches, with dark green foliage. Small blunt dark green pods. Fit for table use fifty-three to fifty-five days from planting. Seed blue green, small sized, wrinkled.


★**Dwarf Telephone.** Vines 18 to 20 inches high, with rather coarse foliage, medium light green, bearing pods, broad, straight and about 4 inches long. Pale green in color and well filled with peas of excellent flavor. Ready for picking from sixty-two to sixty-five days from planting. Seed pale green, large, much wrinkled.

★**Sutton's Excelsior.** Similar in habit of growth to Nott's Excelsior, but bearing very large, broad pods, well filled with large peas. Very tender and of the most delicious flavor. Vines about 18 to 20 inches high, medium light in color with pods 3¼ to 3½ inches long, light in color and blunt at the ends.



ALASKA PEAS

PEAS, WRINKLED SEED—Continued



POTLATCH

★**Potlatch.** Strong, vigorous vines of even growth, 20 to 24 inches in height, with luxuriant dark foliage, bearing pods medium green in color, $3\frac{1}{2}$ to 4 inches in length. Broad and pointed at the ends. No variety known will produce more pods, and no pods could possibly shell out better. The Potlatch is a variety from which anyone may expect great things. Fit for table use sixty-one days from planting. Seed green, wrinkled, large in size.

★**Sutton's Dwarf Defiance.** The vines, vigorous and hardy, about 2 feet in height, with coarse, dark green foliage, bearing long, broad pointed pods, dark green in color. Fit for picking sixty-one days from planting. Seed large, green, wrinkled.

★**Stratagem.** A vigorous, hardy and luxuriant vine, bearing large pods containing peas of excellent quality. A heavy cropper, although it has a tendency to sport. Vines 20 inches. Foliage, dark green. Pods $3\frac{1}{2}$ inches long, straight, broad, pointed, gray green in color. Fit for table use fifty-six days from planting. Seed very large, green, wrinkled.

★**Gradus.** A large, wrinkled, early pea, with a pod nearly as large as Telephone, filled with large peas, tender and of good quality and flavor. Very quick to germinate and mature with the early sorts. This pea will not stand adverse conditions, however, as well as some of the other sorts, and seed must be planted after all danger of early frost has passed. Seed large, cream colored, wrinkled.

★**Thomas Laxton.** Closely resembling Gradus in habit, rapidity of growth, earliness and foliage, 26 to 30 inches high, and much hardier in every respect than Gradus.

★**Admiral Dewey.** One of the largest podded pea yet introduced. Height, $3\frac{1}{2}$ feet; pods a rich, dark green color, frequently 6 inches long, beautifully shaped. Peas large, tender and of first class flavor.

★**Telephone.** Vines and leaves large and coarse. Foliage light green in color. Height, 40 to 50 inches; pods, $4\frac{1}{2}$ inches long, broad pointed, medium green in color. Fit to pick sixty-two to sixty-five days from planting. Seed large, green, wrinkled.

★**Alderman.** A large podded pea of the Telephone type, very robust and vigorous as to vine, foliage, mixed, medium green.

★**Duke of Albany.** Resembling the Telephone in appearance. Vine and foliage medium green in color. Height, 50 inches.


★**Everbearing.** Vigorous and branching in habit of growth. Height, $2\frac{1}{2}$ to 3 feet. Pods, $2\frac{3}{4}$ to 3 inches long. Broad, light colored and blunt. Fit to pick seventy days from planting. Seed green, wrinkled, large in size.

★**Champion of England.** Strong and vigorous in growth, 42 to 50 inches in height.

★**Yorkshire Hero.** Hardy, productive, and upright in growth, bearing near the top of stalk, broad pointed pods with peas of a good quality. Foliage dark green, 23 to 28 inches in height. Pods, $2\frac{1}{2}$ to 3 inches long, blunt, light green in color.

PUMPKIN

The finer varieties of pumpkins are used for pies and the coarser ones for stock feeding. While the pumpkin may be grown very much as cucumbers are grown in a garden, they are more frequently planted in the field with corn, where several seed are dropped in each fourth hill. Planted alone, six to ten seeds are covered one inch deep in hills eight to ten feet apart and thinned to two to four plants to the hill. One ounce plants twenty-five hills and two to four pounds of seed generously plants an acre. As this crop requires as much time as corn to mature, the planting cannot be too long delayed.



CONNECTICUT FIELD PUMPKIN

★**Small Sugar.** This variety is very small, but of most excellent quality for pies.

★**Japanese Pie.** Shaped somewhat like the Cushaws and grows to a large size; skin deep green with dark stripes; flesh deep yellow and of high quality; seeds sculptured like Chinese letters.

★**Cheese or Kentucky Field.** One of the best for table use, and very productive. Shape flat; flesh yellow, thick and tender.


★**Connecticut Field.** The hardiest of all pumpkins; cultivated mainly for stock-feeding, producing enormous crops.

★**Mammoth Potiron.** The flesh and skins are of a bright golden yellow color. Flesh fine grained and of excellent quality. This enormous variety has been grown to weigh 200 pounds.

★**Winter Queen.** This is an improvement of the old well-liked sugar pumpkin. Its size is uniformly about nine to ten inches in diameter, color, a beautiful deep orange yellow, with a close netting, almost as russeted as a potato.

★**Pie.** Fruit of medium size, nearly round; skin light yellow, smooth and covered with a fine gray netting. Flesh light yellow, very thick, sweet and finely flavored. Makes very delicious pies.

★**Tennessee Sweet Potato.** Hardy, productive, sweet and delicious, and one of the best for cooking purposes ever introduced.



**SCARLET TURNIP WHITE TIPPED
RADISH**

★**Long Scarlet, Short Top Improved.** This bright scarlet, small topped sort is about six inches long.

The Cincinnati Market. The tops of this new radish are very small and may stand much closer in rows than Wood's Early Frame or Long Scarlet, without danger of running to seed.

★**White Icicle.** This handsome white variety is becoming very popular. It is similar to White Vienna, but is not so long, is earlier and has a shorter leaf. We recommend it as a profitable, early variety where a long white sort is desired.

Early Scarlet Turnip. The standard early turnip radish. Fine flavored and mild.


★**Scarlet Turnip, White Tipped.** One of the handsomest of the turnip radishes and a great favorite in many large markets, for early planting outdoors.

★**French Breakfast.** Olive-shaped, scarlet, with white tip; crisp and tender. Very early. A general favorite.

Early White Turnip Rooted. A little flatter than the Scarlet Turnip, and pure white in color.

Long Brightest Scarlet, White Tipped. This is the brightest and handsomest colored scarlet radish known.

Chartier. Decidedly distinct in appearance from any radish in cultivation.




SCARLET GLOBE RADISH

RADISH

Plant radishes on a light soil if a choice is possible, and every second week for a succession from the time the soil can be worked in spring till the first light frost. Plant in ten to eighteen-inch rows, cover the seeds one-half inch deep and permit four to ten radishes to grow to the foot of row, according to variety. Use one ounce of seed to grow to one hundred feet of row and eight to twelve pounds to the acre. Radish seed, which germinate quickly, may be sown with some slow-germinating seed that the cultivation of that crop may begin the earlier, or the quicker-growing radish may be grown between rows of some slow-growing crop that later requires considerable space. The Winter Radish is sown at late turnip planting time and used in the autumn or stored for winter like the turnip.

★**Early Scarlet Globe.** A desirable sort for hotbed forcing and outdoors; very early; flavor mild, crisp, juicy and tender; top small; will stand heat without becoming pithy. One of the best selling and most attractive radishes on account of its bright scarlet color and handsome shape. Is ready in twenty-eight days.

Crimson Giant Turnip, Forcing. A variety extraordinary in that, while growing to an unusually large size, it is always tender, crisp and of mild flavor. It remains in perfect condition a remarkably long time, and unlike other forcing varieties, does not become pithy even when twice their size in diameter.



WHITE ICICLE RADISH

Long White Vienna, or Lady Finger. A very excellent white variety with long, very smooth white roots.

White Strasburg, or Summer Hospital. Large, showy, half long, white sort.

White Summer Turnip. A very large turnip-shaped variety; white, very crisp and mild.

Giant Stuttgart. A summer variety. Grows to a large size. White flesh, very crisp and tender. Of good flavor and a good keeper.

RADISH—WINTER VARIETIES

★**Rose or Scarlet China.** Roots cylindrical, or largest at the bottom, tapering abruptly to a small tap. Skin very smooth and of a bright rose color.

★**White China or Celestial.** A comparatively new variety which is popular wherever known. The root is long, cylindrical, with beautiful white skin.

California Mammoth. First introduced into this country by the Chinese in California. It is pure white. The flesh is tender and crisp, keeping well through the winter.

Large White Spanish. A large rooted winter variety.

Round Black Spanish. Roots round, sometimes top-shaped, 3 to 4 inches in diameter; skin black, flesh white.

★**Long Black Spanish.** One of the latest as well as hardiest of the radishes; an excellent sort for winter use.

RHUBARB

Rhubarb, familiarly known as Pie Plant, or Wine Plant, is cultivated in gardens for its leaf stalks, which are used for pies and tarts. Immense quantities are now annually sold in all the larger markets. No private garden should be without it.

Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition and the deeper it is stirred the better. Sow in drills an inch deep, and thin out the plants to six inches apart. In the fall transplant the young plants into very highly manured and deeply stirred soil, setting them four to six feet apart each way, and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year, and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linnaeus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

Rhubarb Seed.

Rhubarb Roots.

PRICES ON LARGE LOTS OF RHUBARB ROOTS ON APPLICATION.

SALSIFY

(VEGETABLE OYSTER)

The long, white tapering root of salsify resembles a small parsnip, and when cooked is a good substitute for oysters, having a very similar flavor.

It succeeds best in a light, well-enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow unevenly and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy, and may remain out all winter, but should be dug early in spring, as they deteriorate rapidly, after growth commences. Store a quantity for winter use in a pit or cellar in damp earth or sand.

Large White. The common variety, roots medium sized, smooth; flesh white.

Mammoth Sandwich Island. This is in every way superior to the Large White, being larger, stronger growing and less liable to branch. Invaluable to market gardeners.

SORREL

Large Leaved French. Sow in drills as soon as the soil can be worked in spring and three to six inches apart in the row. Cutting begins in sixty days and continues for several years. Used as cooked "greens" or as a salad.

SPINACH

Spinach, a delicious green, resembling in growth a non-heading lettuce, is happily the best of tonics. As early as the soil can be worked, sow it one-half inch deep in fourteen-inch rows, using one ounce of seed to one hundred feet, and in the second week will appear a tiny plant with two very narrow leaves that do not resemble the true leaves that follow. Cutting should begin forty-five days from sowing. It is impossible to put spinach on too rich a soil, and nitrate of soda is used on it with profit.

South of the Ohio, spinach winters without protection. North it very often winter kills with good drainage and the best of straw covering.

All spinach quickly runs to seed in the heat of summer.

★**Savoy Leaved Bloomsdale.** The earliest variety and one of the best to plant in autumn for early spring use. Plant of upright growth, with narrow, pointed leaves, which are curled like those of the Savoy cabbage. It grows quickly to a suitable size for use, but soon runs to seed.

Improved Thick Leaved. A variety which grows very rapidly, forming a cluster of large, very thick, slightly wrinkled leaves of fine color and quality when cooked. Especially recommended for market gardeners.

Round Leaved. This variety is generally preferred in the North for early spring sowing, and is the favorite with our market gardeners. The leaves are large, thick and fleshy. Though not quite as hardy as the Prickly Winter, it stands the winter very well.

Fill Basket. The largest early spinach, its broad, thick, dark green leaves are very tender and of delicious flavor. Withstands hot weather well.

Long Standing. An improved, round seeded strain of excellent merit, having all the good qualities of other sorts and continuing in condition for use much longer. The leaves are smooth and very dark, rich green. Very popular with market gardeners.

Victoria. An excellent sort, which forms a very large, exceedingly thick, dark green leaf somewhat curled in the center. It becomes fit for use nearly as early as any, remaining so much longer than most kinds, and cannot fail to please, whether grown for the market or in the private garden.

Prickly Winter. A very hardy variety and will withstand the severest weather with only a slight protection of leaves or straw. The seed is prickly, leaves triangular, oblong or arrow shaped. It is used for fall sowing, which in this latitude is about the first of September.

New Zealand. (*Tetragonia expansa*.) This branching plant, a spinach in its use and not in its growth, frost-kills, but grows luxuriantly in the summer heat. Plant these large seeds three in a hill, three by two feet apart or start the plants under glass and transplant.

Prices of Seeds Vary. We quote Market Values upon request and always give our customers the benefit of the lowest price that the market conditions will warrant. Special prices on a general list will be given upon application. LET US HEAR FROM YOU.



LARGE WHITE
SALSIFY



ROUND LEAVED SPINACH

SQUASH

The directions for the planting of cucumbers can be followed with slight modifications for squash or cymbling. Plant the summer squash in hills four feet apart and use before mature. Plant the winter squash in hills six or eight feet apart; handle without bruising and store in a dry, moderately warm place for winter. Plant the seed generously and thin to two or three plants to a hill. One ounce of seed plants twenty-five hills and two to four pounds plants an acre. The squash is to be recommended either for the table or the feed lot.

Straight-Neck Summer Squash. Market gardeners who ship early squash to distant markets know the difficulty of packing the crook-necked variety in boxes to good advantage. In our straight-neck the bad feature of the crook has been overcome, and by continued selection the size has been increased more uniformly in shape and improved quality.


Giant Crook-Neck. This strain is a great improvement on the old variety of Crook-Neck. It is larger and better in every way.

★**Summer Crook-Neck.** A standard, early and productive summer sort, fruits about a foot long, moderately warted and of a bright yellow color.

Mammoth White Bush. This has been obtained by years of careful selection. Although we have sold this squash for a number of years, we again call special attention to it.

★**Early White Bush Scallop.** Similar in form to the Golden Bush, but with a cream white skin, and more tender and delicate flesh.

★**Warty Hubbard.** This is the best strain of Hubbard Squash. By its rough, hard, warty shell and its dark olive green color it can be distinguished from any other strain, either in the field or on the market. It was introduced in 1894 and since that time under different names it has been given out to all who have called for the best stock of Hubbard Squash. We have maintained its purity by continued selection and offer headquarters seed.




WARTY HUBBARD

Foodhook. The vines are of strong, vigorous growth and wonderfully productive. Fruits oblong in form, eight to ten inches in length, slightly rigid; smooth, thin, yellowish skin; flesh very thick and of a light straw yellow.

Delicious. This is one of the best winter varieties. Its color is almost uniform of a green shade, with occasionally a blue specimen, it being just about as pure in this respect as was the original Hubbard. In size closely follows the original Hubbard, which weighed between five and ten pounds. In thickness of flesh it surpasses nearly every variety, the color being a dark orange.

Delicata. Early and very prolific; of oblong shape. Ground color orange yellow, splashed and striped with very dark green. Although of small size, the squashes are very solid and heavy, while the quality is rich and dry.



MAMMOTH WHITE BUSH

Hubbard. A general favorite and more largely grown as a late sort than any other; it is of large size, often weighing from nine to ten pounds. Color bluish green, occasionally marked with brownish orange or yellow. Flesh fine grained, dry, and excellent flavor. It can be had in use from September to May.

Red or Golden Hubbard. This is a very distinct sort, of the shape and general character of the Hubbard, but a little smaller; of rich orange red color, instead of the dark olive green.

Boston Marrow. Second early, coming in about ten days after the bush and crook-neck sorts. Skin yellowish, very thin; the flesh dry and fine grained, and of unsurpassed flavor.

Essex Hybrid. This is not only one of the richest flavored, finest grain and sweetest of all squashes, but it is also one of the very best keepers that we know of. Short cylindrical shape, having on the blossom end a small cap shaped enlargement. The flesh is dry, sweet and thick, and of a bright orange color.

Mammoth Chili. The largest of all squashes, growing to an immense size, often weighing over 200 pounds, while its rich fine-flavored flesh insures its value for all purposes.



SWISS CHARD

(See Page 4)

TOBACCO

Connecticut Seed Leaf. The best sort for cigar wrappers. Try it.

Havana. This is the genuine article, and is first class.


White Burley. A favorite for plug fillers and wrappers.

Yellow Pryor. A fine yellow sort, and succeeds well where others fail. **CONNECTICUT SEED LEAF TOBACCO**

TOMATO

The tomato requires one hundred days or more to mature from seed. As tomatoes are killed by other than light frost, early tomatoes should be started in hot beds two months before they may be transplanted out of doors. Three weeks later these plants may be potted or given a space of four by four inches in the hot beds. Before setting in the field, which is May north of the Ohio, the plants should be gradually exposed to the outside conditions and the quantity of water given them decreased. Transplant on a cloudy day if possible, and water freely. Nitrate of soda may be given each plant at this time with profit.

A space of four by four feet should be given each plant in the field or more for robust varieties, except that where they are carefully pruned and trained, which is unnecessary, they may be planted as close at two by two feet. One ounce of seed gives two thousand plants.



SPARK'S EARLIANA

★Spark's Earliana. Said to be the earliest large tomato in the world. This tomato is not only remarkable for its earliness, but for its very large size, handsome shape and bright, red color. Its solidity and fine quality are quite equal to the best medium and late sorts. From less than four thousand hills the originator realized from his first pickings \$725.00 clear of freight and commission, being in the market fully a week before all others.

★Chalk's Early Jewel. The largest, smoothest and finest flavored early tomato in cultivation. Within a week to ten days as early as the famous Spark's Earliana. Fruit rich deep scarlet.

John Baer. An early, productive, red tomato on the order of Chalk's Early Jewel.

Early Detroit. A very fine, early, large-fruited purple variety; a little larger than Beauty and somewhat earlier; fruits globe shaped, smooth and solid.

Crises June Pink. A fine new variety. It is highly recommended to gardeners whose trade demands the purplish pink sort.

Acme. One of the best standard sorts. Of a fine crimson purplish color. Shape is smooth, size large and uniform. For the market or home garden no sort is better.

★Beauty. A decided favorite for either home market or shipping purposes, being early, hardy, a strong grower, productive, large size, always smooth, perfect in shape, and excellent in quality. The color is a very glossy crimson with a tinge of purple. It grows in clusters of four to six large fruit, retaining its large size late in the season. It ripens with Acme and Perfection, and is entirely free from ribbed and elongated fruit.

Trucker's Favorite. The finest large-fruited purple tomato. The fruits continue of large size to the very last and are always unexcelled for slicing or cooking.

Livingston's Favorite. A well known red variety, smooth and solid.

Perfection. A splendid red variety, hardy, productive and a good bearer.

Paragon. The well known standard bright red tomato.

Matchless. A good canning and all purpose tomato, splendid for kitchen.

★New Stone. A fine new, red variety, very solid and smooth; a splendid main crop sort.

Greater Baltimore. A splendid variety for canning, similar to Stone.

Red Rock. An extraordinarily solid, smooth, very red tomato; a very heavy producer, of excellent shape and very superior texture and flavor. An excellent variety for truckers and canning factories on account of its shape, quality and productiveness. This tomato is very free from cracks, has a very shallow stem attachment and is practically smooth. Fruits will probably average from eight to nine ounces. Borne in clusters of from four to seven fruits, and ripens in 110 days from sowing of seed.

Livingston's New Globe. Is of beautiful globe shape, with quite a percentage of elongated fruits which permit of a greater number of slices being taken than with flat fruited sorts.

Dwarf Champion. This is a purple fruited variety, which forms very strong plants about two feet high. The branches are short, making a bushy plant that stands quite erect without stakes. This sort is often sold as Tree Tomato. Fruit smooth, medium sized, color purplish pink, fairly solid, but has no hard core, and is of good flavor. About as early as any purple fruited tomato, and is quite popular in some localities, both for market and home use.

★Ponderosa. This variety, when conditions are favorable, grows to an immense size and makes the heaviest fruit of any in the list. Our stock is from the original strain. None better.

Crimson Cushion. A large fruited variety; smooth on top but inclined to curve at the ends, making an indentation at the stem. Color a glossy crimson tinged pink. Fruit ripens evenly, except toward the stem, where it ripens somewhat slowly. A very solid heavy tomato.


Yellow Pear. Pear shaped; yellow.

Yellow Plum. Plum shaped; yellow.

Yellow Peach. Same as the red peach except color.

Golden Queen. Fruit large and smooth; color a beautiful golden yellow, sometimes with a slight blush of red, as smooth and well shaped as the best of the red varieties and of superior flavor.


Husk, or Ground Cherry. This is a small sized fruit grown within a husk. It is valuable for preserving and making into pies, or for eating from the hand.



NEW STONE

TURNIP

While the main crop of turnips is planted in July north of the Ohio, more turnips should be grown in early spring. Seed may be broadcast on the few soils freed of weeds, but it is more advisable to sow in one or two-foot drills, cover less than one-half inch and thin to stand six inches apart in the row. Use one-half ounce of seed to one hundred feet of row and two pounds to the acre. The turnip requires one-half more seed when broadcast than in drills and the salad turnip requires one-half more seed than the turnip sown for a root crop.



PURPLE TOP GLOBE

Extra Early White Milan Turnip. The Early White Milan is one of our most popular turnips for spring sowing, a splendid extra early turnip in which the extreme earliness, small top and tap root of the Purple Top Milan is united with clear white skin and flesh.

Extra Early Purple Top Milan. The earliest in cultivation, two weeks earlier than Purple Top Strap Leaf. The bulb is flat, of medium size, quite smooth, with a purple top. Flesh, white, hard and of finest quality. It is an extra good keeper.

★**Early Snowball.** A perfectly globe-shaped, white-skinned turnip. It is exceedingly productive. The flesh is fine grained, firm and of very delicate flavor. It is one of the best keeping of the white-fleshed sorts. Very early and particularly adapted for family or market use. We recommend it to market gardeners because its earliness and fine appearance make it a very profitable variety of turnip.

Early White Flat Dutch. An excellent garden variety. The best for spring sowing.

★**Purple Top Strap Leaf.** Rapid grower and mild flavor. The most popular variety for early use, either for the table or stock.

★**Purple Top White Globe.** An early variety. Globe shaped; heavy cropper. In other respects similar to the Red Top Strap Leaf. A handsome looking bulb. And is rapidly taking the lead of all other varieties of early turnips for market garden purposes.

Cow Horn. This variety is pure white, except a little shade of green at the top, and is carrot-like in form, growing nearly half out of the ground, and slightly crooked. It is delicate and well flavored, of very rapid growth, and has obtained considerable favor as a market sort for fall and early winter use.

Large White Norfolk. The standard variety for field culture for feeding stock. Very large size.

White Egg. Belongs to the class of quick growing fall turnips. Its shape is nearly oval or egg, as its name would indicate.


★**Pomeranian White Globe.** This is one of the most productive kinds, and in good, rich soil roots will frequently grow to twelve pounds in weight. It is of perfect globe shape; skin white and smooth; leaves large and dark green.

Seven Top. Cultivated extensively in the South for the tops, which are used for greens. It is very hardy and will grow all winter, but does not produce a good root, and is only recommended for the tops.

Golden Ball. Undoubtedly among the most delicate and sweetest yellow fleshed turnips yet introduced. Not of a large size, but firm, hard and of most excellent flavor. Keeps well and is superior as a table variety. It is extensively used.

Yellow Aberdeen. Very hardy and productive; a good keeper; globe shaped. Color pale yellow with purple top. Very firm in texture, and closely resembling the rutabaga in good keeping qualities. Good either for table or stock.

★**Amber Globe.** One of the best varieties for a field crop for stock. Flesh yellow, fine grained and sweet; color of skin, yellow; top green. Hardy, keeps well, a good cropper. Very popular in the South.



EARLY SNOWBALL

RUTABAGA

Rutabagas, or Swedish Turnips, with their superior keeping qualities had best be drilled a month earlier than other turnips, given eighteen to thirty-inch rows and thinned to stand six to twelve inches apart in the row.



IMPROVED AMERICAN RUTABAGA

★**Improved American Purple Top.** The best yellow fleshed, purple top variety grown for stock or table.

Laing's Improved. One of the earliest of the rutabagas. Forms a handsome bulb of good quality. Keeps well; good for table use.

Carter's Imperial Purple Top. An English variety resembling the preceding. Very productive and of fine quality.

★**White Rutabaga.** This variety now extensively cultivated, and preferred in many sections for its white flesh. It is very hardy and productive, keeps well until late in the spring, and is highly esteemed for its sweet, delicate flavor.

Monarch or Tankard. This is a yellow fleshed sort having very large tankard shaped roots, with relatively small necks and tops. Color purplish crimson above ground, yellow below; flesh very solid, fine grained and of the best flavor. This very popular variety is also sold as Hurst's Monarch and Carter's Elephant.

Budlong's White Rock. Though sometimes called a turnip, this is more like a rutabaga. The root is large, both skin and flesh very white. An excellent keeper and a desirable sort for market gardeners.

Sweet German. A superior variety for table or stock. Flesh firm, sweet and juicy.

Bangholm. A very superior variety, both in form and quality, and held in high estimation in many parts of England. Of large size, small neck, few or no side roots, and yields well. Flesh yellow, sweet and solid; skin yellow with purple top.

NASTURTIUM

There is no plant that in so short a time at so little expense will give such an abundance of bloom, continue that blooming over so long a period and give such variety and brilliancy of color as the nasturtium. On a rich soil this plant gives us a more robust growth and fewer flowers, so the thinner soil is to be used if there is a choice. When the frost is no more to be feared, sow the seed one inch deep where the plant is to grow and remember to pick the seed balls as they form, to continue the plant's blooming. This sweet scented plant lasts long as a cut flower but is most frequently used as a tapestry to blanket some unsightly fence or pile of stone.



NASTURTIUM

TALL OR CLIMBING

Butterfly. Light yellow, with blotch of deep red on lower petal.

Chameleon. A mixture of changing and inconstant shades all richly colored and on the same plant.

King of the Blacks. Dark red flowers and dark foliage.

Lucifer. Blossoms deep crimson, leaves brownish green.

Pearl or White. Light lemon or primrose.

Rose.

Ruby. Very deep rose pink.

Spitfire. Brilliant flame color scarlet.

Yellow.

DWARF

Aurora. Yellow, veined carmine.

Chameleon. A dwarf mixture of blotched and inconstant shades on one plant.

Cloth of Gold. Bright golden yellow leaves and brilliant scarlet flowers.

Dark Crimson. Very dark, rich crimson scarlet.

Empress of India. Intense scarlet, foliage dark brown and green.

King Theodore. Very deep crimson and dark foliage, the darkest of all, nearly black.

Rose or Pink.

Ruby King. Bright red, tinted salmon.

White Pearl. Very light lemon or primrose.

MIXED NASTURTIUM

Tall Mixed Garden. Grown not only for ornament but the beautiful orange colored flowers and foliage are used for garnishing and the young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles.

Dwarf Mixed Garden. Same as above except that it grows in dwarf form.

SWEET PEAS

In few lines of endeavor has the advancement been so rapid as in the development of sweet peas. This the public seems to appreciate and this flower is today a general favorite.

If possible, for sweet peas spade deeply a well drained soil in the fall and add any good compost, including some wood ashes or lime. As early as the ground can be worked in spring plant the peas in a trench five inches deep and cover with one inch of sand or fine soil. When the peas are well above the ground fill the trench and thin the peas to stand two to three inches apart in the row. When planted, or very soon afterward, set some four to five-foot supports. Mulch with lawn trimmings, water thoroughly once a week, and cut frequently to keep the plant flowering. With a select list of varieties we list several excellent mixtures.

GRANDIFLORA VARIETIES

America. Crimson scarlet, striped on white.

Aurora. Orange rose, striped on white.

Black Knight. A very deep maroon.

Blanche Ferry. Standard bright carmine rose, wings white tinged with pink.

Countess of Radnor. Light mauve standard, lavender wings.

Dorothy Eckford. Pure white.

Duke of Westminster. Standard clear purple, wings purple with tint of violet.

Emily Henderson. Pure white, white seeded.

Katherine Tracy. Standard soft pink, wings a trifle lighter tone.

King Edward VII. Bright red or crimson scarlet.

Lady Grisel Hamilton. Standard light mauve, wings lavender.

Lord Nelson. Rich deep navy blue.

Mrs. Collier. Primrose.

Mrs. Geo. Higginson, Jr. Light lavender.

Mrs. Walter Wright. Rose purple.

Prima Donna. Pure pink self.

Shasta. Pure white.

Helen Lewis. Standard orange, wings rosy salmon.

King Edward Spencer. Rich crimson.

Margaret Atlee. Apricot pink on cream ground.


Othello Spencer. Rich deep maroon.

Royal Purple. The best purple Spencer Sweet Pea.

Scarlet Emperor. Bright scarlet.

Thomas Stevenson. Rich orange scarlet.

White Spencer. Pure white.



SPENCER VARIETIES

Asta Ohn. Pinkish lavender.

Clara Curtis. Primrose.

Countess Spencer. Bright, clear pink on white ground.

Elfrida Pearson. Deep blush.

Elsie Herbert. Large white with beautiful picotee edge of rose pink.

Florence Morse Spencer. Light pink.

George Herbert. A bright rosy carmine.

MIXED SWEET PEAS

Choice Mixed. The best blending of the choicest named varieties. No better mixture can be had.

Eckford Mixed. A very choice mixture of the Grandiflora types.

Florists' Mixed. A blend of the sorts best suited for the cut flower trade.

Named Sorts Mixed. Blended from the named sorts of the Unwin and Grandiflora types.

Spencer Varieties Mixed.

WHITE SWEET PEAS

CHOICE FLOWER SEEDS

STANDARD VARIETIES

Most flowers are as easily grown as vegetables. In the select list that follows will be found flowers and plants for many uses. Some plants used for cuttings bring the sunshine to those that must live indoors, while others are useful for cemetery lots, a tribute to those that precede us. Some plants can be grown in a partial shade, where grass does not grow, and others are serviceable in hanging baskets or veranda boxes. Some vines or tall plants may be grown to hide or make more sightly some fence or pile of stone or stump or building. Flowers are just as necessary as are pictures, and to their beauty is often added such stimulating and pleasing perfumes as cannot be bought in bottles.

Flowers fall readily into three classes: Annuals bloom, seed and die the first year. Biennials bloom and die in their second year, but they may bloom also in their first year. Perennials flower for several years and some of them may bloom in the first year of their existence.

ASTERS

Of the general beauty of these flowers it is unnecessary to speak; the immense world-wide demand for them shows their adaptability for any climate; and, coming into bloom, as they do, when most other flowers are fading away, enhances their value. For the best results the ground for the cultivation of asters cannot be too richly prepared, although they will give satisfactory returns on any ordinary garden soil.

New Giant Comet Asters, Mixed. With good cultivation, flowers of this type frequently measure four inches across, and in their fine form, large size, and long stem approach in beauty the fine *Chrysanthemums* grown in the greenhouse during the late fall months. White, lavender, crimson, mixed.

Queen of the Market. Of graceful spreading habit, it is in full flower two weeks before most other asters. Deep blue, white, pink, and rose in mixture. White, lavender, crimson, pink, mixed.

Sample's Branching Mixed. All colors mixed of this favorite long-stemmed strain.

Mixed Asters. Many varieties of different types.

Acroclinium. Summer flowering and an "everlasting."

Ageratum (Floss Flower). For edging or pots.

Alyssum, Sweet. Trailing and fragrant.

Alyssum, Little Gem (Carpet of Snow).

Amaranthus. Tricolor (Joseph's Coat).

Antirrhinum. (Snapdragons). Tall mixed.

Antirrhinum, Tom Thumb. Mixed, fine strain.



COMET ASTER

Bachelor's Button (Ragged Sailor or Corn Flower).

Balloon Vine. A white flowered climber.

Balsam (Lady Slipper). A garden flower.

Calliopsis or Coreopsis. For bedding. Candytuft. For cutting or beds.

Canterbury Bell. A hardy biennial.

Carnation. For pot and outdoor culture.

Castor Beans. See *Ricinus*.

Celosia or Cockscomb. For the garden or in pots.

Chrysanthemum. Summer flowering and for cutting.

Cobea Scandens. Bell-flowered, rapid climber.

Cosmos. For autumn flowering background.

Cypress Vine. Flowered rapid climber.

Dahlia. A late summer and autumn flower.

Daisy. Fine quality double mixed.

Delphinium Mixed.

Dianthus. Pinks. Old-fashioned favorite.

Double Chinese Mixed.

Double Diadem.

Single Mixed.

Eschscholtzia or California Poppy. Fine Mixed.

Forget-Me-Not. For the shaded spot.

Four o'Clock (Marvel of Peru).

Fox Glove or Digitalis. For the half shade.

Godetia. For borders and pot culture.

Gourd. Apple Shaped, Bottle, Dipper, Dish Cloth, Hercules Club, Japanese Nest Egg, Mock Orange, Pear Shaped, Sugar Trough.

Gypsophila (Baby Breath). For edging.



MARGARET CARNATION

CHOICE FLOWER SEEDS—Continued



DOUBLE POPPIES

- Heliotrope.** For bedding, bouquet and its perfume.
- Hollyhocks.** For a tall background.
- Hyacinth Bean.** A flowered climber.
- Ipomoea.** A flowered rapid climber.
- Setosa (Brazilian Morning Glory).
- Grandiflora (Moon Flower).
- Job's Tears.** Grass with slate colored seeds.
- Kochia** (Summer Cypress or Burning Bush).
- Larkspur.** For bedding or cutting.
- Lobelia.** For pot culture or bedding.
- Marigold.** Bedding or borders.
- African Double. Orange color.
- Eldorado. Several shades of yellow.
- French Dwarf. Brown-red.
- Mignonette.** For cutting and its perfume.
- Sweet. The old variety.
- Golden Queen. Fragrant and yellow.
- Machet. Red flowered.
- Morning Glory.** The well known climber.
- Japanese mixed.
- Fine mixed.
- Portulaca.** The Moss Rose.
- Single mixed.
- Ricinus.** Flowering castor bean.
- Zanzibariensis.
- Sanguineus.
- Salpiglossis.** For border or bedding.
- Salvia Splendens.** Scarlet Sage.
- Boufire.
- Mixed.
- Stocks.** Ten Weeks.
- Choice mixed.
- Yellow.
- Blue.
- White.
- Sun Flower.** For screen or background.
- Sweet William.** For bedding and borders.
- Single mixed.
- Double mixed.
- Verbena.** For window boxes or bedding.
- Wild Flower.** Garden mixture.
- Zinnia.** For bedding and bouquets.

Leave a Space in Your Garden for Some Flowers




PANSY—Masterpiece

- Pansy.**
- King of the Blacks.
- Bugnots.
- Meteor.
- Masterpiece.
- Trimardeau mixed.
- White.
- Yellow.
- Blue.
- Fancy mixed.
- Choice mixed.
- Petunia.** For bedding.
- Large flowering mixed.
- Fine Mixed.
- Phlox.** Mixed, for bouquet or bedding.
- Alba. Pure white.
- Pinks.** See Dianthus.
- Poppy.**
- Shirley mixed.
- Tulip flowered.
- Cardinal double.
- Carnation double mixed.
- Single mixed.
- Oriental (Perennial).



LARGE FLOWERING PHLOX

LAWN GRASS



Your outdoor carpet should be of an even colored grass that grows so close that weeds cannot get through. Think of your lawn as a number of plants, not "just grass." These lawn plants ask what other plants require: good drainage, a soil of a fit quality, the addition of lime where soil is sour, deep preparation by spading or plowing, the addition of fertilizers before planting and from time to time afterwards as the plants continue to feed, and good seed. Where manure is used at any time it should be thoroughly decomposed and free from weed seed and a complete fertilizer at the rate of five hundred pounds to the acre is advantageous.

Seeding had best be done in the spring or fall. Be careful to have the entire surface as near alike as possible that the grass may be even in its growth and finish by using a fine rake and a heavy roller. Seed heavily. Use seventy-five pounds of the best lawn mixture to the acre, or one pound to three hundred square feet. Sow the seed carefully on a calm, dry day and rake lightly.

Cut the lawn frequently, setting the machine to cut as high as possible, and as weeds grow where grass seed is now sown, weeds will grow in your lawn and some of them it may be necessary to dig out with a knife.

In very dry weather a thorough wetting should be given about once a week, a little water on a dry surface doing more harm than good.

Each spring after the winter heaving of the lawn by frost is over, the lawn should be re-rolled while the soil is wet.

Park Lawn Grass Mixture. For quickly producing a permanent, thick and velvety sward of grass, this brand of lawn grass cannot be excelled. It is the best mixture of grasses we sell for lawn making, and will give satisfaction wherever sown.

Mixture for Shaded Spots. Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in shady places; for sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass.

GRASS SEED

Blue Grass. (Poa Compressa.) Commonly called Canada Blue Grass. A very valuable grass for pasture and lawns.

Blue Grass. (Poa Pratensis.) Commonly called Kentucky Blue Grass and known in some sections as "Green Meadow Grass" and "June Grass." It is the best pasture for our climate and soil, succeeding finely on hill lands and producing the most nourishing food. Sow early in the spring or during the months of October and November. Fancy clean seed.

Red Top. (Agrostis Vulgaris.) A valuable grass for moist soils and low lands. It is a good, permanent grass, standing our climate well.

English Rye Grass. (Lolium Perenne.) A very nutritious rapid growing variety, valuable for meadows and pastures. Twenty-four pound bushel.

Italian Rye Grass. (Lolium Italicum.) A valuable European variety, adapted to any climate, and produces large and nutritive crops. Eighteen-pound bushel.

Meadow Fescue or English Blue Grass. (Festuca Pratensis.) Needs rich ground, and succeeds well on prairie soil. Sow about twenty-five pounds per acre.

Tall Fescue. (Festuca Elatior.) A valuable perennial grass, very productive and nutritious. If used alone, sow forty pounds per acre.

Creeping Bent Grass. (Agrostis Stolonifera.) Particularly valuable for lawns that are to be used as croquet and tennis grounds.

Orchard Grass or Rough Cocksfoot. (Dactylis Glomerata.) This is one of the most valuable and widely known of all pasture grasses. It is well adapted for sowing under trees or orchards.

Timothy. (Phleum Pratense.) This is decidedly the best grass for hay.

CLOVER SEED

Medium Red or June. (Trifolium Pratense.) Sow in spring or fall, at the rate of eight or ten pounds per acre.

Mammoth or Large Red. (Trifolium Pratense.) Sow at the rate of about eight pounds per acre. Sixty pounds per bushel.

White Dutch. (Trifolium Ripens.) A small, creeping, spreading, perennial variety, valuable for pasture and lawns.

Alfalfa or Lucerne. (Medicago Sativa.) Will bear cutting three or four times during the season. For bringing up poor land it is the best of the clovers.

Alsike or Swedish. (Trifolium Hybridum.) This valuable variety is fast gaining great popularity.

Crimson or Scarlet Clover. Can be seeded at any time from June to October, at the rate of fifteen to twenty pounds per acre.

MISCELLANEOUS GRAINS

FIELD PEAS

White Canada.
Blue or Green.

COW PEAS

Black Eye.
Whip-Poor-Will.

MILLET SEED

Japanese Barnyard.
Siberian.
Hog.
Common.
German or Golden.
Hungarian.

SUGAR CANE

Early Amber.
Early Orange.

BROOM CORN

Improved Evergreen.
Early Japanese.

MISCELLANEOUS


Barley, Common.
Rye, Spring.
Rye, Winter.
Buckwheat, Silver Hull.
Buckwheat, Common.
Buckwheat, Japanese.
Spurry.
Vetch, Sand or Winter.
Vetch, Spring.

BIRD SEEDS

Canary.
Hemp.
Lettuce.
Millet.
Bird Rape.
Sunflower.
Mixed Bird Seed.

**PRICES VARY ON ALL
FARM SEEDS.**

Write for Market Price.



IMPROVED LEAMING

FIELD CORN

Prices Change. Ask for Market Price

Pride of the North. This famous corn still retains its popularity; an exceedingly early and prolific variety, always maturing in ninety days; often shelling sixty-two pounds of grain from seventy pounds of ears. Kernels closely set, large, of deep orange color; cob very small and red; stalks about seven feet in height. This is, probably, the best Dent corn for general cultivation in the North.

Reid's Yellow Dent. This variety has won more prizes at corn shows than any other corn. It matures a ten-inch of eighteen to twenty-four rows in one hundred fifteen days.

Improved Leaming. The Improved Leaming Corn is a medium early yellow variety; large, slightly tapering ears, deep grain, and medium sized red cob. In favorable years there is much uniformity of both kernels and ears. Its numerous broad leaves not only encourage a healthy development but make it a valuable variety for feeding.

Minnesota No. 13 or Wisconsin No. 8. A ninety-day variety producing ears averaging eight inches in length with sixteen to twenty rows of bright, rich yellow, smooth, wedge shaped kernels, packed closely on the cob from tip to butt. The best yellow Dent for northern planting.

Champion White Pearl. Originated in Illinois, and is enormously productive; a strong grower; matures in about one hundred days. The stalk is stout and thick, with large ears set low.

Iowa Gold Mine. A splendid yellow corn. Everyone who has tried it is enthusiastic in the praise of this splendid variety which was introduced in 1892. It has everywhere received the most cordial endorsement as one of the best and most profitable varieties ever grown.

Iowa Silver Mine. The Iowa Silver Mine is a splendid white corn. In 1894, the poor corn year, it yielded at the rate of ninety-seven and one-third bushels to the acre. It has no barren stalks. The ears are very even in size, being but little smaller at the tip than at the butt, and corn is well filled out over the tip.

Longfellow Flint. This is an eight-rowed Yellow Flint Variety, the result of careful selection. The ears are from ten to fifteen inches long, one and one-half to one and three-fourths inches in diameter, are well filled out to the extreme end of cob.

KAFFIR CORN. One of the best forage plants. If the crop is wanted mainly for fodder, it is recommended to cut down the whole stalk when the first seed heads come into bloom.

DWARF ESSEX RAPE. A forage plant of great merit, easily grown in any part of the United States, on any land that will raise turnips or corn, and will furnish abundant supplies of succulent, rich, nutritious pasture, at a season when it is most needed.

RUSSIAN SUNFLOWER. This is highly prized by poultry raisers and farmers as a cheap food for fowls. It is immensely productive and can be raised cheaper than corn, as any waste piece of ground will suffice. It is the best egg-producing food known.

PERFECTION GARDEN CULTIVATOR

Different from Others—Superior to All.

The lightest garden tool on the market.

Easiest to adjust.

Strongest in workmanship.

Easiest to operate.

Is a complete machine within itself.

Needs no extra parts.


The only garden tool made that throws the soil to or from the plants without extra attachments.

Is made in three sizes, viz:

No. 1. With two discs, on which 6-inch or 7-inch knives may be used.

No. 2. With four discs, on which 7½-inch, 8¼-inch or 8¾-inch knives may be used.

No. 3. With four discs, on which 10-inch or 11-inch knives may be used.



BULBS, PLANTS, ETC.

Bulbs, Plants and Shrubs are in a class by themselves. There are bulbs for spring planting and bulbs for fall planting. Some shrubs do best when planted in the spring, others when planted in the fall. Roots of the perennial plants may be planted in fall or spring. Plants of the small fruits usually do best when planted in the spring. When ready to order your supplies in this department let us figure on your needs.

FERTILIZERS

Fertilizer Values Vary. Write for Prices.

The value of Commercial Fertilizer is well known. There are many different brands and combinations—each of which has its value for certain crops and conditions of soil. The element that is lacking in the soil is what the special fertilizer supplies. Write for our prices and for information as to kinds.

NOTES ON GARDENING

While it is in a way true that anyone can garden, intelligence tells more quickly in agriculture, possibly, than in any other line of endeavor. Yet so many and varied are the ways of reaching a result in agriculture that no two experienced and successful growers would agree entirely upon the treatment of a crop or a piece of land. It does not follow that either grower is right or wrong, we would rather say that in the agricultural seas there are many good pilots with well charted courses and bid them "bon voyage."

In the work of gardening a sharpened stick or at most a hoe and spade is all that is absolutely necessary, but the result will be vastly improved by the use of modern tools, hotbed frames and sash, some insecticides and a fungicide, drain tile, a compost heap and fertilizer.

Hotbeds. While early in the year plants may be started in a sunny window, it is of profit and advisable to use hotbeds and cold frames for even a small garden. From the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Provide a quantity of fresh horse manure from the stables, and add to this, if they can be had, one-third to one-half its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3x6 feet, and one or two sashes will give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes, and keep the pit closed until the heat rises. At first it will probably be 100 degrees or more, which is too hot to sow the seed in; but in two or three days it will subside to 90 degrees or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer into the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf), either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snowstorms keep covered with mats or board shutters. Tomatoes, Peppers and Egg Plants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

Cold Frames are simply frames with tops of glass or cloth set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with marsh hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in this vicinity, from the 15th to the 20th of September. The young plants will be ready to transplant in about 25 to 30 days. During cold nights and stormy days the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, and it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes, they are in a forward state for setting out. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a cold frame in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Even before the hotbeds are made or the first seed purchased the garden should be planned on paper.

If the garden has not been drained, preferably by tile, and there are very few pieces of ground that do not need drainage, an effort should be made to get rid of the surplus water so that the soil may warm up rapidly and bacterial life so necessary to plant life begin.

Frequently the application of lime or limestone is more necessary than the application of commercial fertilizer and this question, too, must be answered early.

Stones and stumps, along with trees of no value, should be removed from the garden, and every effort possible made to get ready for the rush that comes with spring planting. There are easy ways as against the difficult ways of gardening, and from time to time the work should be carefully thought over with the idea of saving every effort possible. First of all, the vegetables should be planted in long rows, so with a wheeled tool like the Perfection Garden Cultivator one can quickly cultivate the garden without stooping. It is also possible now to set plants while walking in an upright position and avoid the backaches and suffering of other years by using a Masters' Rapid Plant Setter. Tools like these should be secured before the day they are needed.

LOCAL NAMES OF SEEDS

We frequently have calls for seeds under names that are not generally found in the catalogue. In most cases of this kind there is a standard catalogue name for the article and we usually locate it easily from the description the customer gives of it. If you do not recognize the desired article from the catalogue names let us know and we shall endeavor to locate it and get it for you if we do not have it in stock.

SUNDRY REQUISITES AND SUPPLIES

There are many requisites and supplies that we do not have room to list in our catalogue. We aim to have all seasonable articles on hand and can supply all of these at the time they are required. There are different makes of tools, different brands of requisites and different kinds of supplies all having merit. When we know what you prefer in any of these lines we can meet your requirements.



FERTILIZERS

Fertilizer. Any material used as a manure for the soil. Fertilize, to enrich, to impregnate. The foregoing definition tells us that any material used as a manure is a fertilizer, but as different soils require different elements to enrich it and make it more fertile, thus some soils may be rich in Nitrogen and have no Phosphoric Acid (animal) or Potash in it, it is best then to use a Fertilizer that has both those elements in it (See list) and any soil with the three elements mentioned above, is especially good for the raising of all field crops and for the Market Gardener. Also some soils are lacking in Phosphates and have all the others so the addition of Phosphates to soils only lacking in that one element is necessary. In these days of advanced knowledge in the cure of soils it is almost criminal in a Market Gardener or farmer to be ignorant, for our Agricultural Colleges have departments for the careful analysis of soils, so it would be to your advantage to send a fair sized sample of soil from different portions of your land to the nearest College and they will analyze it and report the exact elements needed for you to grow better crops on your land. On our page devoted to various brands of Fertilizers, you will find the analysis of each brand and after getting your report from the College you can then safely select the brand best suited to your land needs.

Fertilizer is a big word. Shade from trees or buildings is another lack of fertility. The poisonous fumes from factories kill plants, so plants do breathe. After all, much or most of our fertilizer is just sunlight or air. While most of the world's fertility does not reach us as freight, some very good fertilizers that it is wise to use does come done up in bags.

Think of the organisms or bacteria that live in the soil as laborers living and working in their home and that they need material with which to work. These tiny workmen, we say, make the plant food available. So not only are workmen necessary, but we must supply them with the raw material with which to work. Some of the things we may add to the garden may contain with new workmen, call them micro-organisms if you wish, one or several raw materials as well. Other materials we supply to our gardens may contain only these elements or materials which we class as phosphates, potash and nitrogen. We say a fertilizer is complete when it contains these last three elements put up in bags and known as commercial fertilizer. If the manufacturers of commercial fertilizer have had a weakness it has been in their lack of effort to teach that their product is not an able and necessary use. Such a use must go hand in hand with other good practices, like soil draining, subsoiling, liming, deep plowing, stable and green manuring, the rotation of crops, possibly the rotation of fertilizers, thorough cultivation and the use of good seed.

The Compost Heap. The gardener or farmer had best select a spot removed from the residence and there save continually all grasses, leaves, poultry and stable manure, soot, hoof and horn parings, bones, unused vegetables and fruit and refuse from the table. Earth and phosphate can be added to this compost heap, and while the heap should be kept moist enough to decay, it should be protected by a roof from rain. Later this compost should be spread upon the soil and plowed or spaded in. This is not only a great economy, but is also very beneficial.

Pulverized Sheep Manure. Humanity builds the results of its learning into little sayings; of them one is, "The sheep's foot is gold." Generations of farmers learned that where the sheep were kept or pastured later grew rich crops. So we are offering sheep manure that has been pulverized, screened and dried till it contains no weed seed and is in the most perfect condition for handling. Where the ant was found to follow the application of bone meal to lawns, the application of this Pulverized Sheep Manure was followed only by good results. Its effect is not only immediate but lasting. For a potting soil one part of this manure to six parts of the soil was found to be preferred. For the making of a liquid manure one pound to six gallons of water was superior. It has no objectionable odor, nor does it offend by its appearance. When heavily and freshly applied to lawns it is barely discernible. A heavy application is not to be feared but to be advised for house plants, lawns, flower gardens, fruit or vegetables. Prices upon request.

A PAGE ON FUNGICIDES AND INSECTIDES

The attempt to summarize the militant ways of man in his battle with disease, fungi, and insects that attack our plant world, would be, because of its brevity, somewhat imperfect. This quickly developed science that is rapidly progressing fills volumes of space. In the effort to be brief, which means we cannot be concise, we might say of the plants' enemies that they are: first, fungous diseases; second, insects that eat or chew the plant; third, insects that suck the plants' juices; fourth, insects that bore into the plant.

FIRST. The Fungous Diseases of plants may be thought of as blight, mildew, spot, speck, dry rot, black rot, rust, scab or mold, etc.

The remedies applied are called **Fungicides**. They may be preventative or cures, or both. Some of them are as follows:

Bordeaux Mixture.

Copper Sulphate	6 pounds
Quicklime	4 pounds
Water	40 gallons

Dissolve the copper sulphate by putting it in a bag of coarse cloth and hanging this in a vessel holding at least 4 gallons, so that it is just covered by the water. Use an earthen or wooden vessel. Slake the lime in an equal amount of water. Then mix the two and add enough water to make 40 gallons. It is then ready for immediate use.

Ammoniac Copper Carbonate.

Copper Carbonate	1 ounce
Ammonia	enough to dissolve the copper
Water	9 gallons

SECOND. Insects that chew or eat the plant may be bugs, caterpillars, worms or slugs. The poisons we feed to this class of our enemies we call **Stomach Poisons**, and some of them are:

Paris Green.

Paris Green	1 pound
Water	250 gallons

If this mixture is to be used upon peach trees, 1 pound quicklime should be added. Repeated applications will injure most foliage unless lime is added. **Paris Green** and **Bordeaux** can be applied together with perfect safety. The action of neither is weakened, and the Paris Green loses all caustic properties. If applied as a powder it should be mixed with flour or plaster, 100 parts to 1 part Paris Green.

London Purple.

This is used in the same proportion as Paris Green,

THIRD. Insects that suck the juices of plants may be plant lice, mealy bug, green and black fly, red spider, scale, etc. The poisons we apply to this class of our enemies kill by striking through the insect's skin, and are referred to as **Contact Poisons**. Some of them are:

Kerosene Emulsion.

Hard Soap	½ pound
Boiling Water	1 gallon
Kerosene	2 gallons

Dissolve the soap in the water, add the kerosene, and churn well with soap for 5 to 10 minutes. Dilute 10 to 15 times before applying.

FOURTH. Insects that bore into the tree or plant are retarded or injured by having Tanglefoot put in their way or Fish-Oil Soap or Whale-Oil Soap smeared or washed upon the plant's trunk.

Frequently some combinations of the above Fungicides and Insecticides may be made with advantage, as Bordeaux with Arsenate of Lead, or Kerosene Emulsion with Paris Green. Again, in advertised articles upon the market are found some very superior combinations, one of which we list below.

The copper carbonate is best dissolved in large bottles, where it will keep indefinitely, and it should be diluted with water as required.

Copper Sulphate Solution.

Copper Sulphate	1 pound
Water	15 gallons

Dissolve the copper sulphate in the water, when it is ready for use. **This should never be applied to foliage, but must be used before the buds break.** For peaches and nectarines use 25 gallons of water.

Practically all insecticides and fungicides are now put up in concentrated form, saving the gardener the trouble of mixing the ingredients. Frequently this prepared article is superior to that which could be mixed at home, and often cheaper. In this buying one has a choice as between the fluid, paste or dry forms at times.

but as it is more caustic, it should be applied with lime or with the Bordeaux Mixture.

Hellebore.

Fresh White Hellebore	1 ounce
Water	3 gallons

Apply when thoroughly mixed.

Arsenate of Lead.

Among the insecticides none stands higher than this. It adheres and does not injure the most tender foliage, does not readily wash off, and as it is white it shows where it has been applied. It remains so well suspended in solution as to give an even distribution.

Tobacco Dust or Tea.

The aphid or plant louse is not apt to go where there is tobacco dust, and a tea made from tobacco—just tobacco boiled in water till the water is dark—is an excellent remedy for this class of pest.


GARDEN PESTS AND THEIR CONTROL

The suburban dweller, the diversified farmer, and the owner of the small country place have always been seriously handicapped in their efforts to combat insect pests, which so often injure or destroy the foliage and fruit of the various plants they attempt to grow.

Experts have realized for a long time that the only method for the protection of the small fruit raiser and home gardener, was a universal insect destroyer—some preparation which would be exceedingly simple to handle, and which would control as many as possible of the insects which infest all manner of growing plants.

"CORONA DRY" SOLVES YOUR PROBLEM

This product is the result of many years experiment and trial in all parts of the country. It solves the problem of controlling almost all leaf-eating insects, in a particularly efficient manner.



Applying Corona Mixture

USEFUL INFORMATION

LEGAL WEIGHTS & MEASURES—Pounds per Bushel

ARTICLES	Ills.	Iowa	Wis.	Meb.	Ind.	Mo.	N. Y.	Ohio
Apples, Dried	24	24	28	22	25	24	22	22
Apples, Green	50	50	57					
Bran	20	20	20	20	20	20	20	20
Barley	48	48	48	48	48	48	48	48
Beans, White	60	60	60	60	60	60	62	60
Beans, Castor	46	46	46	46	46	46	46	46
Buckwheat	52	52	50	48	50	52	48	50
Broom Corn Seed	46	46	46	46	46	46	46	30
Beets	60	50						56
Carrots	55	50			50			50
Charcoal	22	22	22	22	22	22	22	
Coal, Stone	80	80			80			80
Coke	40	38						40
Corn, Shelled	56	56	56	56	56	56	56	56
Corn, Ear	70	70	70	70	68	70	70	68
Corn Meal	48	48	48	50	50	50	50	50
Cranberries	33		40	33				
Dried Peaches	23	23	28	28	33	33	32	33
Flax Seed	56	56	56	56	56	56	56	56
Grass Seed, Blue	14	14	14	14	14	15	10	
Grass Seed, Clover	60	60	60	60	60	60	60	60
Grass Seed, Hungarian	18	48	48	50		48	48	50
Grass Seed, Millet	50	48	50	50	50	50	50	50
Grass Seed, Orchard	14	14		14	14	14	14	14
Grass Seed, Red Top	14	14	14	14	14	14	14	14
Grass Seed, Timothy	45	45	45	45	45	44	45	45
German Lupine	60							
Hemp Seed	44	44	44	44	44	44	44	44
Hickory Nuts	50							
Malt, Barley	38	36	34	38	38	38	34	34
Mineral Coal	40			40				
Middlings, Fine	40			40				
Middlings, Coarse	30			30				
Oats	32	32	32	32	32	32	32	32
Onions	57	57	54	48	57	57	50	50
Onions, Tops	28	28	28	28	28	28	25	
Onions, Sets	32							
Osage Orange	33							
Parsnips	55			55	54			
Potatoes	60	60	60	60	60	60	60	60
Potatoes, Sweet	50	46	55	56	55	56	55	50
Peas, Dried	60	60	60	60	60	60	60	60
Peas, in Pods	32							
Popcorn	70			70				
Quicklime	80	80	80	80	80	80	80	80
Rye	56	56	56	56	56	56	56	56
Salt, Coarse	50	50	50	50	50	50	50	50
Salt, Fine	55	50	56	56	50	56	50	56
Turnips, Rutabaga	55	55	56	58	55	50	55	60
Turnips, White	42			42				
Wheat	60	60	60	60	60	60	60	60

Dry Measure. 2 pints, 1 quart; 8 quarts, 1 peck; 4 pecks' 1 bushel; 36 bushels, 1 chaldron.

Liquid Measure. 4 gills, 1 pint; 2 pints, 1 quart; 4 quarts, 1 gallon; 31 1/2 gallons, 1 barrel; 2 barrels, 1 hogshead.

Measurements of an Acre. The following will be found useful in arriving at accuracy in estimating the amount of land in different pieces of ground under cultivation: 5 yards wide by 968 yards long, contains one acre, as do also the following measurements: 10 yards wide by 484 yards long; 20 yards wide by 242 yards long; 40 yards wide by 121 yards long; 70 yards wide by 69 1/2 yards long; 60 feet wide by 726 feet long; 110 feet wide by 396 feet long; 120 feet wide by 363 feet long; 220 feet wide by 198 feet long; 240 feet wide by 181 1/2 feet long, and 440 feet wide by 99 feet long.

Number of Plants or Trees to the Acre at Given Distances

Dis. Apart	No. Plants	Dis. Apart	No. Plants
12x 1 in.	522,720	36x36 in.	4,480
12x 3 in.	174,240	42x12 in.	12,446
12x12 in.	43,560	42x24 in.	6,223
16x 1 in.	392,040	42x36 in.	4,148
18x 1 in.	348,480	48x12 in.	10,890
18x 3 in.	116,160	48x18 in.	7,790
18x12 in.	29,040	48x24 in.	5,445
18x18 in.	19,360	48x36 in.	4,356
20x 1 in.	313,635	48x36 in.	3,630
20x20 in.	15,681	48x48 in.	2,723
24x 1 in.	261,360	60x36 in.	2,901
24x18 in.	15,520	60x48 in.	1,178
24x24 in.	10,890	60x60 in.	1,743
30x 1 in.	209,088	8x 1 ft.	5,445
30x 6 in.	34,848	8x 3 ft.	1,815
30x12 in.	17,424	8x 8 ft.	680
30x16 in.	13,068	10x 1 ft.	4,356
30x20 in.	10,545	10x 6 ft.	726
30x24 in.	8,712	10x10 ft.	435
30x30 in.	6,970	12x 1 ft.	3,630
36x 3 in.	58,080	12x 5 ft.	736
36x12 in.	14,520	12x12 ft.	302
36x18 in.	9,680	16x 1 ft.	2,722
36x24 in.	7,260	16x16 ft.	170

REFERENCE TABLES

Quantity of Seeds Requisite to Produce a Given Number of Plants and Sow an Acre

	Quantity per Acre
Artichoke, 1 oz. to 500 plants	6 oz.
Asparagus, 1 oz. to 800 plants	1 lb.
Asparagus Roots	1000 to 7250
Barley	2 1/2 bu.
Beans, Dwarf, 1 pint to 100 ft. of drill	1 bu.
Beans, pole, 1 pint to 100 hills	1 1/2 bu.
Beet, Garden, 1 oz. to 100 ft. of drill	7 lbs.
Beet, Mangel, 1 oz. to 100 ft. of drill	5 lbs.
Broccoli, 1 oz. to 5,000 plants	2 oz.
Brussels Sprouts, 1 oz. to 5,000 plants	2 oz.
Buckwheat	1 1/2 bu.
Cabbage, 1 oz. to 3,000 plants	2 oz.
Carrot, 1/4 oz. to 100 ft. of drill	2 1/2 lbs.
Cauliflower, 1 oz. to 3,000 plants	2 1/2 oz.
Celery, 1 oz. to 15,000 plants	2 oz.
Chicory	4 lbs.
Clover, Alsike and White Dutch	6 lbs.
Clover, Lucerne	15 to 25 lbs.
Clover, Crimson Trefoil	10 to 15 lbs.
Clover, Large Red and Medium	8 to 12 lbs.
Collards, 1 oz. to 5,000 plants	2 oz.
Corn, Rice (Shelled)	2 qts.
Corn, Sweet, 1/4 pint to 100 hills	6 qts.
Cress, 1/4 oz. to 100 ft. of drill	12 lbs.
Cucumber, 1 oz. to 100 hills	1 to 3 lbs.
Egg Plant, 1 oz. to 2,000 plants	4 oz.
Endive, 1/4 oz. to 100 ft. of drill	4 1/2 lbs.
Flax, broadcast	1 1/2 bu.
Garlic, Bulbs, 1 lb. to 10 ft. of drill	
Grass, Blue, Kentucky	2 bu.
Grass, Blue, English	1 bu.
Grass, Hungarian and Millet	1 1/2 bu.
Grass, Mixed Lawn	3 to 5 bu.
Grass, Red Top, Fancy, Clean	8 to 10 lbs.
Grass, Red Top, Chaff Seed	20 to 28 lbs.
Grass Timothy	1/4 bu.
Grass, Orchard, Perennial Rye, Fowl Meadow and Wood Meadow	2 bu.
Hemp	1 1/2 bu.
Horse-Radish Roots	10,000 to 15,000
Kale, 1 oz. to 5,000 plants	2 oz.
Kohl-rabi, 1/2 oz. to 100 ft. of drill	4 lbs.
Leek, 1/2 oz. to 100 ft. of drill	4 lbs.
Lettuce, 1/4 oz. to 100 ft. of drill	3 lbs.
Martynia, 1 oz. to 100 ft. of drill	5 lbs.
Melon, Musk, 1 oz. to 100 hills	1 to 3 lbs.
Melon, Water, 4 oz. to 100 hills	1 1/2 to 4 lbs.
Nasturtium, 2 oz. to 100 ft. of drill	15 lbs.
Okra, 1 oz. to 100 ft. of drill	8 lbs.
Onion Seed, 1/2 oz. to 100 ft. of drill	4 to 5 lbs.
Onion Seed for sets	40 to 80 lbs.
Onion Sets, 1 quart to 40 ft. of drill	8 bu.
Parsnip, 1/4 oz. to 100 ft. of drill	3 lbs.
Parsley, 1/2 oz. to 100 ft. of drill	3 lbs.
Peas, Garden, 1 pint to 100 ft. of drill	1 to 3 bu.
Peas, Field	2 bu.
Pepper, 1 oz. to 1,500 plants	3 oz.
Pumpkin, 1/2 quart to 100 hills	3 to 4 lbs.
Radish, 1/2 oz. to 100 ft. of drill	10 to 12 lbs.
Rye	1 1/2 bu.
Salsify, 1/4 oz. to 100 ft. of drill	8 lbs.
Spinach, 1/2 oz. to 100 ft. of drill	8 lbs.
Summer Savory	3/4 lb.
Sunflower	8 lbs.
Squash, Summer, 4 oz. to 100 hills	2 lbs.
Squash, Winter, 8 oz. to 100 hills	2 lbs.
Tomato, 1 oz. to 4,500 plants	2 oz.
Tobacco, 1 oz. to 5,000 plants	2 oz.
Turnip, 1 oz. to 250 ft. of drill	1 to 3 lbs.
Vetches	2 bu.

Average Time Required for Garden Seeds to Germinate

	Days		Days
Bean	5 to 10	Lettuce	6 to 8
Beet	7 to 10	Onion	7 to 10
Cabbage	5 to 10	Pea	6 to 10
Carrot	12 to 18	Parsnip	10 to 20
Cauliflower	5 to 10	Pepper	9 to 14
Celery	10 to 20	Radish	3 to 6
Corn	5 to 8	Salsify	7 to 12
Cucumber	6 to 10	Tomato	6 to 12
Endive	5 to 10	Turnip	4 to 8

Time Required for Maturity of Different Garden Crops Reckoned from the Day of Sowing the Seed

	Days		Days
Beans, String	45 to 65	Melon, Musk	120 to 140
Beans, Shell	65 to 70	Melon, Water	120 to 140
Beets, Turnip	65	Onion	135 to 150
Beets, Long Blood	150	Pepper	140 to 150
Cabbage, Early	105	Radish	30 to 45
Cabbage, Late	150	Squash, Summer	60 to 65
Cauliflower	110	Squash, Winter	125
Corn	75	Tomato	150
Eggplant	150 to 160	Turnip	60 to 70
Lettuce	65		

ONION SETS



RED

WHITE

YELLOW

Onion Sets. Should be planted as early in the spring as convenient, to obtain early green onions, but they may be set at any time up to June 1st. Set in rows a foot apart and three to four inches between them in the row. Any good soil will suit them. When grown in quantity, high cultivation is given in order to forward the crop for an early market. They are ready for use as soon as the bulbs begin to be of fair size. Those not used in green condition will ripen early in July and make nice Onions. Potato and top onions are grown from bulbs only, growing in clusters. These clusters are separated and the smaller ones kept for seed. There is no crop which pays better than the first load or so of green onions in the market. Onion Sets will make this crop for you. Why not grasp the opportunity offered. Out Sets are carefully grown and choice; they will give the largest returns for the money invested if the product is sold, or excellent green onions for home use at a time when a fresh green vegetable is needed.

The varieties of Onion Sets are:

Yellow Bottom Sets
Red Bottom Sets
White Bottom Sets

Yellow Multipliers
White Multipliers
Potato Onions

Shallots
Winter Top Sets
Genuine Top Sets

PLANT ONION SEED AND ONION SETS

Grow More Onions

Eat More Onions

Add Years to Your Life

During the recent epidemic of influenza that has swept over the country, some of the doctors and health authorities, particularly in large cities, have been urging their patients to **Eat Onions**, claiming they are **full of live-giving properties** and, if eaten frequently, keep the system cleaned out and act as a preventive of disease.

It is claimed that in New York, Chicago and other large cities, Health Inspectors reported that in certain badly crowded sections, where the people were of a nationality addicted to the use of Onions and garlic, there were **less colds and influenza** than in other localities.

A quart of Onion Sets will plant a 20-foot row. Several quarts planted as soon as the frost is out of the ground will make green onions to eat much earlier than the seed and if they are not all eaten green, will grow rapidly and can be used later as large onions. The right way to do is to plant plenty of Onion Sets early in the Spring and plant a row each week for several weeks and you will have tender, crisp, young green Onions to eat until quite late. You can also plant Onion Seed to make a good crop of Late Keeping Onions for Fall and Winter use.

Onions require **rich, loose** ground, should be weeded and cultivated frequently and will yield very large crops on good, well-manured ground and are very easy to grow and harvest. Any amateur gardener should have good success growing Onions and they are also a very profitable crop to raise for the local market or to sell your neighbors, either pulled and bunched early as green Onions or harvested later as large, dry Onions.

